UNT's Accessing On-Line Bibliographic Databases

By Billy Barron, billy@unt.edu

This document can be acquired via anonymous FTP on the node FTP.UNT.EDU (129.120.1.1) in the library directory. Additions, corrections, and deletions should be sent to billy@unt.edu. All additions should contain signon instructions, signoff instructions, type of library software, and a contact (no new entries without a contact will be added).

This document is mainly designed for a VT100 environment. Many of the library systems allow other terminal types. At the point when VT100 is selected, you can choose other terminal types. Most IBM mainframes can only connect to TN3270 sites.

This document was edited in WordPerfect 5.1. Margins are 1" on all four sides. The ASCII version is done in 15 point Times Roman. The Postscript version is in 11 point Times Roman. The document is setup for 8.5" x 11" (21.59 x 27.94cm) paper.

Last Updated: March 30, 1993

Table of Contents

Introduction

Over the last several years, most university libraries have switched from a manual (card) cataloging system to a computerized cataloging system. The computerized cataloging systems provide users with easy to access and up-to-date information about the books available in the library. This ease of access has been accomplished with the advent of local area networks, dialup modems, and wide area networks. for example, anybody on the University of North Texas campus who has access to the Sytek Local Area Network or the campus-wide Ethernet can access the UNT's library computer system. Also, UNT has dialup modems. Through these modems anybody with a computer, a modem, and a telecommunication package, such as PROCOMM, can access the library computer from home. The wide area networks allow users free access to other universities' library systems around the world.

Accessing these library systems are described in this document. Details of using various library systems are described in appendices. Also, another appendix has information on how to connect to the Internet from JANET. Yet another appendix gives a list of TELNET and TN3270 escape key sequences for various communications packages. Finally, the last appendix gives references to other useful documents and programs.

Sites that have access via SET HOST are only available to THENET nodes.

Aalborg University

Location: Aalborg, Denmark

To access:

1. Type TELNET AUBOLINE.BIB.DK or FISHLINE.BIB.DK.
2. Press RETURN.
3. At the > prompt, type def.

To exit, hit the TELNET escape key.

Aarhus University

Location: Aarhus, Denmark

To access:

1. Type TELNET HELIOS.AAU.DK.
2. At the login prompt, enter rc9000.
3. Press ESC.
4. At the att prompt, type sol.
5. At the next prompt, type sol sol.

To exit, hit the TELNET escape key.

Aberdeen University

Location: Aberdeen, Scotland UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, type janet.
3. At the hostname prompt, type uk.ac.aberdeen.library.
4. If a Logon Please prompt appears, type LIBRARY.
4. At the Enter Selection prompt, enter 3.

See "Using Dynix" for more information.

To exit, choose option 9.

Abilene Library Consortium

Location: Abilene, Texas US

Members include Abilene Christian University, McMurry University, Hardin Simmons University, and City of Abilene Public Library.

To access:

1. Type TELNET ALCON.ACU.EDU.
2. At the Username prompt, type ACUPAC.

See "Using DRA Atlas" for more information.

To exit, type STOP.

Abo Akademi University

Location: Abo, Finland

To use, you must have an account. Contact Marie-Louise Lindstrom (miso@abo.fi), Susanne Olin (susanne@abo.fi), or Abo Akademi; Domkyrkogatan 2-4; SF-20500 ABO, Finland.

To access:

1. Type TELNET BO.ABO.FI.
2. At the BO> prompt, type HELLO userid,USER.CLAS01.
3. Enter your password.
4. Select 10 as your terminal type.

See "Using VTLS" for more information.

To exit, type /QUIT.

Academy Sinica Taiwan

Location: Taipei, Taiwan

To access:

1. Type TELNET LAS.AS.EDU.TW.
2. At the login prompt, enter library.
3. Select v for VT100.

See "Using INNOPAC" for more information.

To exit, hit Q on the main menu.

Acadia University

Location: Wolfville, Nova Scotia Canada

To access:

1. Type TELNET AUAD.ACADIAU.CA.
2. At the login prompt, type opac.

To exit, type Q.

Air Force Institute of Technology

Location: Wright-Patterson AFB Ohio, US

To access:

1. Type TELNET SABRE.AFIT.AF.MIL.
2. At the USERNAME prompt, enter AFITPAC.
3. At the PASSWORD prompt, enter LIBRARY.

See "Using DRA Atlas" for more information.

To exit:

1. Hit CTRL-Z.
2. Type QUIT.

ALBA

Location: Kobenhavn, Denmark

ALBA is a library database containing a variety of databases that charges for use.

To access:

1. Type TELNET ALBA.BIB.DK.

To exit, unknown.

ALEPH

Location: Israel

ALEPH (Automated Library Expandable Program - Hebrew university) is a distributed library catalog sytem in Israel. The universities that are connected include Bar-Ilan University, Ben-Gurion University, Haifa University, Hebrew University, Technion, Tel Aviv University, and Weizmann Institute of Science.

To access:

1. Type one of the following TELNET commands:
   TELNET RAM2.HUJI.AC.IL
   TELNET ALEPH.BIU.AC.IL
   TELNET BGULIB.BGU.AC.IL
   TELNET LIB.HAIFA.AC.IL
   TELNET TAUVAX.TAU.AC.IL
   TELNET ALEPH.HUJI.AC.IL
   TELNET WISLIB.WEIZMANN.AC.IL
   TELNET LIB.TECHNION.AC.IL
2. At the USERNAME: prompt, type ALEPH.
3. When asked for terminal type, use 2 for VT100 TELNET or use 5 for TN3270.
4. At the Function Selection menu, choose 2.

To exit:

1. Type STOP.
2. Choose option 1 on the Function selection menu.

Allegheny College

Location: Meadville, Pennsylvania US

To access:

1. Type TELNET ALLECAT.ALLEG.EDU.
2. At the login prompt, type library.

See "Using INNOPAC" for more information.

To exit, hit D on the main menu.

Alma College

Location: Alma, Michigan US

To access:

1. Type TELNET MARK.ALMA.EDU.
2. At the Username prompt, enter DYNIXPAC.

See "Using DYNIX" for more information.

To exit, hit the TELNET escape key.

Andrews University

Location: Berrien Springs, MI US

To access:

1. Type TELNET ANDREWS.LIBR.ANDREWS.EDU.
2. At the login prompt, type library.

See "Using INNOPAC" for more information.

To exit, type Q on the main menu.

Arizona State University

Location: Tempe, Arizona US

To access:

1. Type TELNET CARL.LIB.ASU.EDU.
2. At the destination prompt, enter CARL.
3. Enter 5 for VT100.
4. Press RETURN twice.

To exit, type //EXIT twice.

Armstrong State College

To access:

1. Type TELNET LIBRARY.ARMSTRONG.EDU.
2. At the Username prompt, type TELPAC.

See "Using DRA" for more information.

To exit, select N on the main menu.

Aston University

Location: Birmingham, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, type janet.
3. At the hostname prompt, type uk.ac.aston.geac.
4. Hit RETURN twice.

See "Using Geac" for more information.

To exit, type END.

Athabasca University

Location: Athabasca, Alberta Canada

To access:

1. Type TELNET AUCAT.ATHABASCAU.CA.
2. At the Username: prompt, enter AUCAT.

See "Using BuCAT" for more information.

To exit, type QUIT.

Auburn University

Location: Auburn, Alabama US

To access:

1. Type TN3270 AUDUCACD.DUC.AUBURN.EDU.
2. Push <TAB> until the cursor is in the APPLICATION field.
3. Type 01.
4. Press <RETURN>.

See "Using NOTIS" for instructions on using Auburn's library.

To exit, hit the Telnet escape key.

Audie L. Murphy Memorial Veterans' Adminstration Hospital

Location: Texas US

To access:

1. Type TELNET ATHENA.UTHSCSA.EDU.
2. At the Username prompt, enter LIS.
3. Select 1 from the menu.
4. Select 0 from the Library Catalogs menu.
5. Select 3 from the Change Location menu.

To exit, press RETURN on the main menu.

Augsburg College

Location: Twin Cities, Minnesota US

To access:

1. Type TELNET HOST.CLIC.EDU.
2. At the login prompt, enter apac.

See "Using Dynix" for more information.

To exit, type OFF.

Augusta College

Location: Augusta, Georgia US

To access:

1. Type TELNET ACVAX.AC.EDU.
2. At the Username prompt, type ACPAC.
3. Enter VT100 for terminal type.

See "Using DRA Atlas" for more information.

To exit, type <EXIT.

Australian Bibliographic Network

Location: Australia

To access:

1. Type TELNET ABN.NLA.GOV.AU.
2. At the login prompt, type nla.
3. Enter 19 as terminal type for VT100.
4. At the On-line Services screen, type 1.
5. Type ALL for daily news or just hit RETURN otherwise.
6. Enter a valid ABN account name (requires account).

To exit, hit the TELNET escape key.

Australian Defence Force Academy

Location: Campbell, ACT Australia

To access:

1. Type TELNET LIBRARY.ADFA.OZ.AU.
2. When asked to login, type E.
3. Press RETURN for password.

To exit:

1. Type X from the main menu.

Australian National University

Location: Canberra, ACT Australia

To access:

1. Type TELNET LIBRARY.ANU.EDU.AU.

See "Using URICA" for more information.

To exit, use the TELNET escape key.

Austria Libraries

Location: Austria

This systems includes the following libraries: Bibliothek St. Gabriel (BSTG), Forschungsinstitut Brenner-Archiv (FIBA), Hochschulbibliothek der Hochschule fuer kuenstlerische und industrielle Gestaltung in Linz (HBGL), Oesterreichische Phonothek (OEPH), Oesterreichisches Bundesinstitut fuer d. wissenschaftl - Film (OEWF), Oesterreichische Nationalbibliothek (ONB), Universitaetsbibliothek der Universitaet fuer Bodenkultur Wien (UBBW), Universitaetsbibliothek Graz (UBG), Universitaetsbibliothek Innsbruck (UBI), Universitaetsbibliothek der Universitaet fuer Bildungswissenschaften Klagenfurt (UBK), Universitaetsbibliothek Linz (UBL), Universitaetsbibliothek Salzburg (UBS), Universitaetsbibliothek der Techischen Universitaet Wien (UBTUW), Universitaetsbibliothek der Veterinaer-Medizinischen Universitaet Wien (UBVUW), Universitaetsbibliothek der Wirtschaftsuniversitaet Wien (UBWW), Universitaetsbibliothek Wien (UBW002), Fakultaetsbibliothek fuer Medizin an der Universitaet Wien (UBW006), Fachbibliothek fuer Biologie an der Universitaet Wien (UBW087), Fachbibliothek fuer Mathmatik, Statistik, Informatik Universitaet Wien (UBW118), and Zentralbibliothek fuer Physik in Wien (ZBPH). This system is in German.

To access:

1. Type TELNET OPAC.UNIVIE.AC.AT.
2. Hit RETURN on the first screen if you are using VT100.
3. Type library to get into the library system.
4. Type verbund to search all libraries or one of the codes in parenthesis above for an individual site.
5. Hit RETURN to begin your search.
6. Use TAB to go to each of the fields; RETURN to search.

To exit, type ende.

Bangor University

Location: UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. At the hostname prompt, enter uk.ac.bangor.library.
4. Enter 1 when prompted for language.
5. Hit RETURN.

See "Using Geac" for usage information.

To exit, type END.

Bates College

Location: Lewiston, Maine US

To access:

1. Type TELNET LADD.BATES.EDU.
2. Enter v for VT100.
3. Enter y to confirm.

See "Using INNOPAC" for more information.

To exit, type D.

Bath University

Location: Bath, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, type janet.
3. Enter UK.AC.BATH.LIB at the hostname prompt.
4. At the LOGIN prompt, enter OPAC.

To exit:

1. Select O on the menu.
2. Hit the TELNET escape key.

Baylor University

Location: Waco, Texas US

To access:

1. Type TELNET LIBRARY.BAYLOR.EDU from the Internet or SET HOST BUVAX2 from THENET.
2. At the Username prompt, enter BAYLIS.

To exit, keep hitting PF1 until you are logged out of the system.

Beloit College

Location: Beloit, Wisconsin US

To access:

1. Type TELNET LIB.BELOIT.EDU.
2. At the Username prompt, enter BELCAT.

See "Using DRA Altas" for more information.

To exit, type END.

Bethel College

Location: Twin Cities, Minnesota US

To access:

1. Type TELNET HOST.CLIC.EDU.
2. At the login prompt, enter bpac.

See "Using Dynix" for more information.

To exit, type OFF.

Bibliotheken der GMD

Location: Germany

To access:

1. Type TELNET 192.88.108.111.
2. At the LOGON prompt, type LOGON PUBLICAT,A.

To exit:

1. Type H.
2. Type E.

Bibliotheque Publique et Universitaire de Neuchatel

Location: Switzerland

To access:

1. Type TELNET BPU.UNINE.CH.
2. At the "Current Terminal type = vt100" prompt, hit RETURN.

See "Using GEAC" for more information.

To exit, hit CTRL-D.

BIBSYS

Location: Trondheim, Norway

BIBSYS contains records of 11 research libraries in Norway. There is a $75 flat fee for an account on this system. Write BIBSYS, N-7055 Dragvoll, Norway for more information.

To access:

1. Type TN3270 POLLUX.BIBSYS.NO.
2. At the LOGG INN prompt, enter vm xx00bi01, vm xx00bi02, ... or vm xx00bi10.
3. At the Password prompt, type BIBSYS.

1. Type TELNET CASTOR.BIBSYS.NO.
2. Press RETURN.
3. At the LOGG INN prompt, enter vm xx00bi01, vm xx00bi02, ... or vm xx00bi10.
4. At the Password prompt, type BIBSYS.

To exit, hit the Telnet or TN3270 escape key.

BLAISE-LINE

Location: Wetherby, UK

BLAISE-LINE is the British Library's on-line service, which provides access to bibliographic records in many databases, covering all subject areas. This system requires registeration. The application form may be obtained by sending mail to B.KEFFORD@GEC-B.RL.AC.UK.

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login: prompt, enter janet.
3. At the hostname prompt, enter UK.BL.BLAISE

I'm not sure of the exit procedure.

Boise State University

Location: Boise, Idaho US

To access:

1. Type TELNET CATALYST.IDBSU.EDU.
2. At the login prompt, type catalyst.
3. Press RETURN.
4. Select 5 for VT100 emulation.

See "Using GEAC Advance" for more information.

To exit:

1. Type E until you get back to the main menu.
2. Select Log Off (option 4).

Bond University

Location: Gold Coast, Queensland Australia

To access:

1. Type TELNET LIBRARY.BU.OZ.AU.
2. At the login prompt, type opac.

See "Using URICA" for more information.

To exit, type OFF on the main menu.

Boston Library Consortium

Location: Boston, Massachusetts, US

This consortium includes Boston College, Boston Public Library, Boston University, Brandeis University, Northeastern University, MIT, State Library of Massachusetts, Tufts University, University of Massachusetts at Amherest, University of Massachusetts at Boston, and Wellesley College.

To access:

1. Type TELNET BLC.LRC.NORTHEASTERN.EDU.
2. Select BLC.
3. Select 5 for VT100.

To exit, type //EXIT.

Boston University

Location: Boston, Massachusetts, US

To access:

1. Type TELNET LIBRARY.BU.EDU.

To exit, type EXIT.

Bowdoin College

Location: Brunswick, Maine US

To access:

1. Type TELNET LIBRARY.BOWDOIN.EDU.
2. At the login prompt, enter library.
2. Enter v for VT100.
3. Enter y to confirm.

See "Using INNOPAC" for more information.

To exit, select D on the main menu.

Bowling Green State University

Location: Bowling Green, Ohio US

To access:

1. Type TELNET ROBIN.BGSU.EDU.
2. At the login prompt, enter library.

See "Using INNOPAC" for more information.

To exit, select H on the main menu.

Bradford University

Location: Bradford, England UK

To access:

1. Type TELNET INFO.BRAD.AC.UK.
2. At the login prompt, type library.
4. At the logon prompt, type LIBRARY (in uppercase).
5. At the Screen Selection menu, choose 4.
6. At the Other options menu, choose 1.

See "Using URICA" for more information.

To exit, enter 7 at the main menu.

Brandon University

Location: Brandon, Manitoba Canada

To access:

1. Type TELNET LIBRARY.BRANDONU.CA.
2. At the Username prompt, enter LIBCAT.

See "Using BuCAT" for more information.

To logout, type EXIT on Brandon.

Brigham Young University

Location: Provo, Utah US

To access:

1. Type TN3270 LIB.BYU.EDU.
2. Type BYLINE at the userid prompt.
3. Enter e on the next screen.

See "Using NOTIS" for more information.

To exit, use the TN3270 escape key.

Bristol Polytechnic

Location: Bristol, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. Enter uk.ac.brispoly.lib at the hostname prompt.
4. At the Username prompt, type LIBRARY.
5. Select 1 for VT100.

See "Using Libertas" for more information.

To exit, type EXIT.

British Library Document Supply Centre

Location: Wetherby, UK

This service requires registration. You can get details by sending mail to BLDSC@GEC-B.RL.AC.UK.

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login: prompt, enter janet.
3. At the hostname prompt, enter uk.bl.arttel.

Brookhaven National Laboratory

Location: Upton, New York US

To access:

1. Type TELNET SUNTID.BNL.GOV.
2. At the login prompt, enter brookhaven.
3. Select 1 from the main menu.

To exit, type Q from the main menu.

Brown University

Location: Providence, Rhode Island US

To access:

1. Type TN3270 BROWNVM.BROWN.EDU.
2. At the BROWN logon screen: TAB to command field.
3. Enter DIAL JOSIAH.
4. TAB to the JOSIAH choice on the screen.

To exit:

1. Enter ESC 0.
2. Select option 4 from menu.
3. Enter ESC 3.
4. Enter CTRL-P 1.

Brunel University

Location: Uxbridge, England UK

To access:

1. Type TELNET LIB.BRUNEL.AC.UK.

or

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, type uk.ac.brunel.library.

See "Using BLCMP" for more details.

To exit, type E.

Bucknell University

Location: Lewisburg, Pennsylvania US

To access:

1. Type TELNET QUARTZ.BUCKNELL.EDU.
2. At the Enter Class prompt, type library.
3. Hit RETURN.

To exit, hit the Telnet escape key.

Bulter University

To access:

1. Type TELNET RUTH.BUTLER.EDU.
2. At the Username prompt, enter ILIAD.

See "Using DRA" for more information.

To exit, hit RETURN on the main menu.

California Institute of Technology

Location: Pasadena, California US

To access:

1. Type TELNET LIBOPAC.CALTECH.EDU.
2. At the login prompt, enter clas.

See "Using INNOPAC" for more information.

To exit, select Q on the main menu.

Cal Poly State University

Location: San Luis Obispo, California US

To access:

1. Type TELNET LIBRARY.CALPOLY.EDU.
2. Follow the instructions on the menu.

To exit, type x at the menu prompt.

California State University, Chico

Location: Chico, California US

To access:

1. Type TELNET LIBCAT.CSUCHICO.EDU

To exit, hit the TELNET escape key.

California State University, Fresno

Location: Fresno, California US

To access:

1. Type TELNET CATICSUF.CSUFRESNO.EDU.
2. At the login prompt, type public.

To exit, type 0.

California State University, Hayward

Location: Hayward, California US

To access:

1. Type TELNET LIBRARY.CSUHAYWARD.EDU.
2. At the login prompt, type library.

See "Using Innopac" for more information.

To exit, type D on the main menu.

California State University, Long Beach

Location: Long Beach, California US

To access:

1. Type TELNET COAST.LIB.CSULB.EDU.
2. Enter VT100 at ENTER TERMINAL TYPE prompt.
3. Type START on the blank screen.

See "Using NOTIS" for more information.

To exit, use the TELNET escape key.

California State University, Sacramento

Location: Sacramento, California US

To access:

1. Type TELNET EUREKA.LIB.CSUS.EDU.
2. At the login prompt, enter library.

See "Using INNOPAC" for more information.

To exit, select G on the main menu.

California State University, San Marcos

Location: San Marcos, California US

To access:

1. Type TELNET 144.37.1.4.
2. At the login prompt, enter library.
3. Select v for VT100.
4. Hit y to confirm.

See "Using INNOPAC" for more information.

To exit, type D.

Calvin College

Location: Grand Rapids, Michigan US

To access:

1. Type TELNET L.CALVIN.EDU.
2. At the OK prompt, type login pub.
3. Select 5 for VT100.

See "Using DYNIX" for more information.

To exit, select 12 on the main menu.

Cambridge University

Location: Cambridge, England UK

To access:

1. Type TELNET CAMBL.IXI.CH.

or

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, type janet.
3. At the hostname prompt, enter uk.ac.cambridge.university-library.
4. Enter Y.

See "Using CATS" for more information.

To exit, type END.

Camosun College

Location: Victoria, B.C. CA

To access:

1. Type TELNET CAMINS.CAMOSUN.BC.CA.
2. At the Username prompt, enter LIBCAT.

See "Using BuCAT" for more information.

To exit, type QUIT.

Canada Centre for Mineral and Energy Technology

Location: Ottawa, Ontario Canada

To access:

1. Type TELNET CANLIB.EMR.CA.
2. At the login prompt, enter opac.

See "Using MultiLIS" for more information.

To exit:

1. Hit PF1.
2. Type L.

Canisus College

Location: Buffalo, New York US

To access:

1. Type TELNET 138.92.8.41.
2. At the login prompt, type cando.

See "Using INNOPAC" for more information.

To exit, select D on the main menu.

Carleton College

Location: Northfield, Minnesota US

To access:

1. Type TELNET LIB1.CARLETON.EDU.
2. At the -> prompt, type START.

Note: Sometimes when you first connect, you will get disconnected. If that happens, please just connect again.

See "Using Z39.58" for more information.

To exit, type END.

Carleton University

Location: Ottawa, Ontario Canada

To access:

1. Type TELNET LIBRARY.CARLETON.CA.
2. At the first OPTION prompt, type PROFILE vt100.
3. At the second OPTION prompt, tyep HELP for commands.

To exit, hit the Telnet escape key.

Carnegie Mellon University

Location: Pittsburgh, Pennsylvania US

To access:

1. Type TELNET CMULIBRARY.ANDREW.CMU.EDU.
2. Enter VT100 as terminal type.
3. Press RETURN.
4. Enter 1 at the menu.

To exit, type Q.

Case Western Reserve University

Location: Cleveland, Ohio US

To access:

1. Type TELNET CATALOG.CWRU.EDU.
2. At the login prompt, type library.

See "Using INNOPAC" for more details.

To exit, select X on the main menu.

Central Michigan University

Location: Mount Pleasant, Michigan US

To access:

1. Type TELNET HME4.MERIT.EDU.
2. At the which host prompt, enter cmu-ibm.
3. At the terminal type prompt, enter VT100.
4. At the select applications prompt, enter G (Centra).

See "Using NOTIS" for more information.

Note: At times, difficult to connect to.

To exit, hit the TELNET escape key.

Central State University of Ohio

Location: Wilberforce, Ohio US

To access:

1. Type TELNET HALLIE.CES.EDU.
2. At the login prompt, enter library.

See "Using INNOPAC" for more information.

To exit, type Q.

Centro Informatico Cientifico de Andalucia

Location: Gothenburg, Spain

To access:

1. Type TELNET SEVAX2.CICA.ES.
2. At the Username: prompt, type ALEPH.
3. At the Terminal: prompt, enter 11 (VT100).
4. For English, enter ?/ENG.

To exit, type ADIOS.

CERN Scientific Information Service

Location: Switzerland

To access:

1. Type TELNET VXLIB.CERN.CH.

2. At the Username prompt, type ALICE.
3. Select 3 for VT100.
4. Select 1 for library.

To exit, type STOP.

Chalmers University of Technology

Location: Gothenburg, Sweden

To access:

1. Type TELNET CTHLIB.LIB.CHALMERS.SE.
2. Login with username CHANS or CHANSX.
3. Select 3 on Alternativ menu.
4. Select 1 for English on language menu.

See "Using LIBERTAS" for more information.

To exit, type EXIT on the main menu.

Charles Sturt University

Location: Bathurst and Wagga, New South Wales Australia

To access:

1. Type TELNET OPAC.CLANN.EDU.AU.
2. Hit RETURN.
3. At the CLANN ID prompt, type CSUMITRIVREG for Bathurst or CSU-W L122 for Wagga.

See "Using GEAC" for more information.

To exit, hit the TELNET escape key.

City of London Polytechnic

Location: London, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Type janet at the login prompt.
3. Enter uk.ac.city-poly.tower-vax at the hostname prompt.
4. At the Username prompt, enter LIBRARY.

5. At the second Username prompt, enter LIBRARY again.

See "Using Libertas" for more information.

To exit, type EXIT.

City University

Location: London, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, enter UK.AC.CITY.LIB.

To exit, use the TELNET escape key.

City University of New York

Location: New York, New York US

To access:

1. Type TN3270 CUNYVM.CUNY.EDU.
2. Press RETURN at the login screen.
3. Type DIAL VTAM.
4. Tab cursor to CUNYPLUS and press RETURN.
5. Hit CTRL-Z (clear screen).
6. Type lucu.

See "Using NOTIS" for more information.

To exit, hit the TN3270 escape key.

Claremont Colleges

Location: Claremont CA US

To access:

1. Type TELNET BLAIS.CLAREMONT.EDU.
2. At the login prompt, type library.

See "Using INNOPAC" for more information.

To exit, type H on main menu.

Clarion University of Pennsylvania

Location: Pennsylvania

To access:

1. Type TELNET VAXA.CLARION.EDU.
2. At the Username prompt, enter LIBRARY.

See "Using GEAC" for more information.

To exit, type END.

Clemson University

Location: Clemson, South Carolina US

To access:

1. Type TN3270 CLEMSON.CLEMSON.EDU.
2. Choose option B on the menu.
3. Push <RETURN>.

See "Using NOTIS" for more information.

To exit, use the TN3270 escape key.

Cleveland Public Library

Location: Cleveland, Ohio US

To access:

1. Type TELNET LIBRARY.CPL.ORG.
2. Select 1 on the menu.
3. Select 1 on the next menu.

To exit:

1. Hit CTRL-Z.
2. Select 5 on the menu.
3. Select 5 on the menu.

Cleveland State University

Location: Cleveland, Ohio US

To access:

1. Type TELNET VMCMS.CSUOHIO.EDU.
2. At Please enter your terminal id:, enter 8.
3. After the CSU logon screen is displayed enter SCHOLAR.
4. Press ENTER.

See "Using NOTIS" for more information.

To exit, type QUIT.

Colby College

Location: Waterville, Maine US

To access:

1. Type TELNET LIBRARY.COLBY.EDU.
2. At the login prompt, type library.

See "Using INNOPAC" for more information.

To logoff:

1. Select X on the menu.

Colgate University

Location: Hamilton, New York US

To access:

1. Type TELNET LIBRARY.COLGATE.EDU.
2. At the login: prompt, type library.

See "Using INNOPAC" for more information.

To exit, type B on main menu.

College of Charleston

Location: Charleston, SC US

To access:

1. Type TELNET LIBRARY.COFC.EDU.
2. At the Username prompt, type PATRON.

See "Using DRA Atlas" for more information.

To exit, type <EXIT.

College of the Holy Cross

Location: Worcester, Massachusetts US

To access:

1. Type TELNET HCACAD.HOLYCROSS.EDU.
2. At the Username prompt, enter LIBRARY.

See "Using DRA Atlas" for more information.

To exit, hit the Telnet escape key.

College of St. Catherine's

Location: Twin Cities, Minnesota US

To access:

1. Type TELNET HOST.CLIC.EDU.
2. At the login prompt, enter scpac for main campus or smpac for St. Mary's Campus.

See "Using Dynix" for more information.

To exit, type OFF.

College of Wooster

Location: Wooster, Ohio US

To access:

1. Type TELNET WOOLIB.WOOSTER.EDU.
2. At the login prompt, type library.
3. Choose v for VT100.
4. Enter y to confirm.

See "Using INNOPAC" for more information.

To exit, type B on the main menu.

Colorado Alliance of Research Libraries

Location: Colorado US

The Colorado Alliance of Research Libraries (CARL) include Auraria University, Boulder Public Library, CC LINK Community Colleges (Araphoe C.C., Front Range C.C., Lamar C.C., Morgan C.C., Otero Junior College, Pikes Peak C.C., Pueblo C.C., Red Rocks C.C., Trinidad State Jr. College), Colorado Government Publications, Colorado Health Sciences Libraries (Association of Operating Room Nurses, C.U. Health Sciences Center, Denver Medical Library, Saint Joseph Hospital, Swedish Medical Center), Colorado School of Mines, Colorado State Department of Education, Colorado State Publications, Colorado State University, Denver Public Library, Denver University, High Plains Regional Libraries (Estes Park Public Library, Fort Morgan Public Library, Sterling Public Library), Luther College, MARMOT Library (Colorado Western Slopes), Montegomery County (Rockville, Maryland), Northeastern University, Northwest College, Pikes Peak Library (Colorado Springs), Regis College/Teikyo Loretto University, University of Colorado at Boulder, University of Northern Colorado, and the University of Wyoming.

To access:

1. Type TELNET PAC.CARL.ORG.
2. When prompted for terminal type, enter 5 for VT100 emulation.

To exit, hit the TELNET escape key.

Colorado College

Location: Colorado Spring, Colorado US

To access:

1. Type TELNET 192.70.253.3.
2. Type login at the OK prompt.
3. At the User id prompt, enter tutt.
4. At the Password prompt, hit RETURN.

See "Using Dynix" for more information.

To exit:

1. Enter 11 on the main menu.
2. Type LATER.

Columbia University

Location: New York, New York US

To access:

1. Type TELNET COLUMBIANET.COLUMBIA.EDU.
2. Choose 2 on the menu.

See "Using NOTIS" for usage instructions.

To exit, type Q twice.

Law Library

To access:

1. Type TELNET PEGASUS.LAW.COLUMBIA.EDU.
2. At the login prompt, enter pegasus.
3. Enter v for vt100.
4. Enter y to confirm.

See "Using INNOPAC" for more information.

To exit, select J on the main menu.

Commonwealth Scienticis and Industrial Research Organisation

Location: Canberra, ACT Australia

To access:

1. Type TELNET LIBRARY.ITS.CSIRO.AU.
2. At the login prompt, enter library.

See "Using GEAC" for more information.

To exit, use the TELNET escape key.

Concordia College

Location: Twin Cities, Minnesota US

To access:

1. Type TELNET HOST.CLIC.EDU.
2. At the login prompt, enter cpac.

See "Using Dynix" for more information.

To exit, type OFF.

Concordia University

Location: Montreal, Quebec CA

To access:

1. Type TELNET MERCURY.CONCORDIA.CA.
2. At the login prompt, type library.
3. Select v for VT100.
4. Hit y to confirm.

See "Using INNOPAC" for more information.

To exit, use the Telnet escape key.

Connecticut State University

Location: Connecticut, US

To access:

1. Type TELNET CSULIB.CTSTATEU.EDU.
2. At the login prompt, enter csulib.

See "Using INNOPAC" for more information.

To exit, type H on the main menu.

Consejo Superior de Investigaciones Cientificas

Location: Madrid, Spain

To access:

1. Type TELNET CTI.CSIC.ES.
2. At the Username prompt, enter ALEPH.
3. At the terminal prompt, enter 11.
4. For english, type ?/eng.

To exit, type STOP.

Cornell University

Location: Ithaca, New York US

To access:

1. Type TN3270 CORNELLC.CIT.CORNELL.EDU.
2. When userid/password screen appears, press RETURN.
3. When CP READ appears on the screen, type LIBRARY.

See "Using NOTIS" for details.

To exit, type X.

Cranfield Institute of Technology

Location: Cranfield, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. Enter uk.ac.cran.lib at the hostname prompt.
4. At the Username prompt, enter JANET.
5. Enter 1 as terminal model.

See "Using Libertas" for more information.

To exit, type EXIT.

Creighton University

Location: Omaha, Nebraska US

To access:

1. Type TELNET OWL.CREIGHTON.EDU.
2. At the TELNET: ENTER ATTACH COMMAND prompt, enter attach pals.

See "Using PALS" for more information.

To exit, hit the TELNET escape key.

Cumberland College of Health Sciences, University of Sydney

Location: Sydney, New South Wales Australia

To access:

1. Type TELNET LIBRARY.CCHS.SU.OZ.AU.
2. At the : prompt, type hello ref.clas01

See "Using VTLS" for more information.

To exit, type /quit.

Curtin University of Technology

Location: Bentley, WA Australia

To access:

1. Type TELNET CC.CURTIN.EDU.AU.
2. Enter GUEST at the username prompt.
3. Enter A for VT100 emulation.

To exit, enter E.

DALNET

Location: Detroit, Michigan US

DALNET is the Detroit Area Library Network. Members include Wayne State University, Oakland University, University of Detroit, Detroit Public Library, Oakland, Macomb, and Wayne County Community Colleges, Beaumont Royal Oak Hospital, Botsford Hospital, and Children's Hospital Libraries.

To access:

1. Type TN3270 CMS.CC.WAYNE.EDU.
2. Use TAB to move down to COMMAND line.
3. At the COMMAND line, type DIAL VTAM.
4. At the WSUNET menu, type LUIS.

or

1. Type TELNET HME4.MERIT.EDU.
2. At the Which Host prompt, enter WSUNET.
3. At the WSUNET, type LUIS.

See "Using NOTIS" for more information.

To exit from tn3270, type LOGOFF. To exit from telnet, use the Telnet escape key.

Dansk BiblioteksCenter

Location: Ballerup, Denmark

This is a service that charges for use. I do not have the registration information.

To access:

1. Type TELNET BCINFO.BIB.DK.
2. At the login prompt, enter artb.
3. Press ESCAPE.
4. At the att prompt, type bcinfo.
5. At the > prompt, answer with your userid and password.

To exit:

1. Type logout.
2. Press CTRL-D.

Dartmouth

Location: Hanover, New Hampshire US

To access:

1. Type TELNET LIB.DARTMOUTH.EDU from any host connected to the Internet.
2. When prompted for terminal type, enter VT100.

For more information, see the "Using Z39.58" .

To exit, type BYE.

Dartmouth Dante Project

Location: Hanover, New Hampshire US

This database contains 600 years of commentary on Dante's Divine Comedy.

To access:

1. Type TELNET LIBRARY.DARTMOUTH.EDU.
2. Type CONNECT DANTE at the opening menu.
3. When prompted for terminal type, enter vt100.

To exit, type Q followed by two RETURNs.

De Montfort University

Location: UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. Enter UK.AC.LEICP.OPAC at the hostname prompt,

See "Using BLCMP" for more information.

To exit, type E.

Deakin University and Gordon Technical College

Location: Geelong, Victoria Australia

To access:

1. Type TELNET MIPS1.LIB.DEAKIN.OZ.AU.
2. At the login prompt, enter library.

See "Using INNOPAC" for more information.

To exit, hit Q on the main menu.

Denison University

Location: Granville, Ohio US

To access:

1. Type TELNET DEWEY.LIBRARY.DENISON.EDU.
2. At the login prompt, enter library.

See "Using INNOPAC" for more information.

To exit, select D on the main menu.

Denmarks Library for Medicine and Science

Location: Denmark

To access:

1. Type TELNET COSMOS.BIB.DK.
2. At the Username prompt, type COSMOS.
3. For english, type DIA ENG.

To exit, type STOP.

Denmarks Technical Library

Location: Lyngby, Denmark

You must acquire an account. Contact: Danmarks Tekniske Bibliotek; Anders Engelunds Vej 1; Lyngby, Denmark.

To access:

1. Type TELNET ALIS.BIB.DK.

To exit, well, we don't know...

Dickinson College

Location: Carlisle, Pennsylvania US

To access:

1. Type TELNET VAX.DICKINSON.EDU.
2. At the Username prompt, type AUTOCAT.

To exit, type quit at the Command prompt.

Dixie University

Location: Utah, US

To access:

1. Type TELNET LIB.DIXIE.EDU.
2. At the login prompt, enter pub.
3. At the Enter Selection prompt, enter 3.
4. Type y when asked if screen is readable.
5. Hit RETURN.

See "Using Dynix" for more information.

To exit, hit the telnet escape key.

Drake University

Location: Des Moines, Iowa US

To access:

1. Type TELNET LIB.DRAKE.EDU.
2. To search Cowles Library, type COWLES at the username prompt.
3. To search the Law Library, type LAWLIB at the username prompt.

See "Using DRA" for more information.

To exit, type <CTRL-Z>.

DRA (Library of Congress)

Location: St. Louis, Missouri US

Data Research Associates has made the 3.8 million cataloging records from the Library of Congress available. Only two guest users are allowed access between 8am and 5pm (Central Time). This database is not the same as the Library of Congress card catalog and may not be used for cataloging or competitive purposes. Access from outside the US may require prior arrangements.

To access:

1. Type TELNET DRA.COM.

To exit, type EX.

Drew University

Location: Madison, New Jersey US

To access:
1. Type TELNET DREW.DREW.EDU.
2. At the Username: prompt, type LIBRARY.

See "Using DRA" for more information.

To exit, type CTRL-Z.

Dublin City University

Location: Dublin, Ireland

To access:

1. Type TELNET LIBRARY.DCU.IE.

See "Using Dynix" for more information.

To exit, select 7 on the main menu.

Dundee Institute of Technology

Location: Dundee, Scotland UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, type janet.
3. Enter uk.ac.dct.lib at the hostname prompt.
4. Press RETURN.

See "Using Dynix" for more information.

To exit, hit 9 on the main menu.

Dundee University

Location: Dundee, Scotland UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname propmt, type uk.ac.dund.libb.
4. At the second login prompt, enter library.

See "Using Dynix" for more information.

To exit, type 8 on the menu.

Durham University

Location: Durham, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. At the hostname prompt, type uk.ac.dur.library.
4. Press RETURN.

See "Using Geac" for more information.

To exit, type E.

Eastern Michigan University

Location: Ypsilanti, Michigan US

To access:

1. Type TELNET HME4.MERIT.EDU.
2. At the Which Host prompt, enter EMU-VAX.
3. At the username prompt, enter NOTIS.

You must use keypad enter instead of return on this system.

To exit, hit CTRL-Z.

Ecole Polytechnique

Location: Paliseau, France

To access:

1. Type TN3270 FRPOLY11.POLYTECHNIQUE.FR.
2. Hit ENTER on userid screen.
3. Type DIAL VTAM.
4. Select BI on Menu des Applications screen.

To exit, hit the TN3270 escape key.

Edinburgh University

Location: Edinburgh, Scotland UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. At the hostname prompt, enter uk.ac.ed.geac.
4. Press RETURN twice.

See "Using Geac" for more information.

To exit, type END.

Edinburgh University Online Library Information System

Location: Edinburgh, Scotland UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. At the hostname prompt, type UK.AC.ED.EMAS-A.
4. At the user prompt, enter LIBRARY.
5. At the pass prompt, type GUEST.
6. Select 33 as the terminal type for VT100.

To exit, type Q.

Edith Cowan University

Location: Western Australia, Australia

To access:

1. Type TELNET LIBRARY.UWA.OZ.AU.
2. At the USERNAME prompt, enter COWANLIB.
3. When asked if you are on a VT100 terminal, type YES.
4. At the Welcome screen, press RETURN.
5. On the next screen, type the number for the search mode you want.

To exit, use the TELNET escape key.

Eidgenoessische Technische Hochschule Zuerich
(Swiss Federal Institute of Technology, Zurich)

Location: Zurich, Switzerland

To access:

1. Type TN3270 ETHICS3270.ETHZ.CH.
2. TAB twice to COMMAND line.
3. Type DIAL ETHICS.
4. Choose D for Deutsch (German) or F for French interface.

or

1. Type TELNET ETHICS.ETHZ.CH.
2. At the enter terminal type prompt, enter VT100.
3. Hit RETURN twice.
4. Choose D for Deutsch (German) or F for French interface.

To exit, hit the TELNET escape key.

Elon College

Location: Elon College, North Carolina US

To access:

1. Type TELNET VAX1.ELON.EDU.
2. At the Username prompt, type LIBRARY.
3. At the next Username prompt, type IRIS.

See "Using DRA Atlas" for more information.

To exit, type QUIT.

Emory University

Location: Atlanta, Georgia US

To access:

1. Type TN3270 EMUVM1.CC.EMORY.EDU.
2. Press RETURN.
3. When CP READ appears, type DIAL VTAM.
4. When VTAM screen appears, type LIB.
5. When CICS screen appears, hit ESC and then 1.

or

1. Type TELNET BIGBLUE.CC.EMORY.EDU.
2. At the login prompt, type dobis.

See "Using DOBIS/LIBIS" for more information.

To exit, hit the TN3270 or TELNET escape key.

Erasmus Universiteit Rotterdam

Location: Rotterdam, The Netherlands

To access:

1. Type TELNET EURBIB.ER.NL.
2. Press RETURN.
3. For English, type e at the first menu.

To exit, hit the TELNET escape key.

ERIC

Location: Various

ERIC is the Educational Resources Information Center Documents database. It is available from several Internet sites.

Syracuse University

Syracuse offers the last five years of the ERIC database.

To access:

1. Type TELNET ACSNET.SYR.EDU.
2. At the > prompt, enter SUVM.
3. At the ENTER TERMINAL TYPE: prompt, enter VT100.

4. Hit TAB twice.
5. At the COMMAND prompt, enter SUINFO.
6. Enter SELECT ERIC on the main menu.

To exit, type LOGOFF.

Auburn University

Auburn offers the complete ERIC database (1966-current).

1. Type TELNET AUDUCACD.DUC.AUBURN.EDU.
2. At the opening screen, TAB to APPLICATION, and enter 01.
3. At the main menu, type ERIC.

To exit, type STOP.

University of Saskatchewan

University of Saskatchewan offers 1983 to the present.

1. Type TELNET SKLIB.USASK.CA.
2. At the Username prompt, enter SONIA.
3. At the main menu, select 9, "CIJE plus RIE: 1983 to Present".

To exit, type Q.

Essex University

Location: Colchester, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. Enter uk.ac.sx.sersun1 at the hostname prompt.
4. At the login prompt, enter library.
5. Enter VT100 as the terminal type.

See "Using OCLC" for more information.

To logout, type QUIT.

Exeter University

Location: Exeter, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, enter UK.AC.EX.LIB.

4. Enter LIBRARY at the username prompt.
5. Enter 1 for VT100.

See "Using Libertas" for more information.

To exit, type EXIT.

Finnish National Bibliography (FENNICA)

Location: Helsinki, FI (Helsinki University Library)

Contains only books published in Finland.

To access:

1. Type TELNET HYK.HELSINKI.FI.
2. At the login prompt, enter HELLO YOURNAME,USER.CLAS01
3. At the terminal type menu screen, enter 4.
4. At the location code prompt (Anna kokelma), enter 100.
5. At the prompt "Anna uusi...", change the language of help screens and VTLS messages to English by entering /LANG 1 or to Swedish by /LANG 2.

See "Using VTLS" for more information.

To exit, enter /QUIT.

Finnish National Library (HELKA)

Location: Helsinki, FI

Contains only books not published in Finland.

To access:

1. Type TELNET HYK.HELSINKI.FI.
2. At the login prompt, enter HELLO YOURNAME,USER.CLAS02
3. At the terminal type menu screen, enter 4.
4. At the location code prompt (Anna kokelma), enter 100.
5. At the prompt "Anna uusi...", change the language of help screens and VTLS messages to English by entering /LANG 1 or to Swedish by /LANG 2.

See "Using VTLS" for more information.

To exit, enter /QUIT.

Flinders University

Location: Bedford Park, South Australia Australia

To access:

1. Type TELNET LIBRARY.CC.FLINDERS.EDU.AU.
2. At the login prompt, enter central.
3. Enter 1 for VT100.

See "Using Dynix" for more information.

To exit, hit 12 on the main menu.

Florida State University System

Location: Gainesville, Florida US

The Florida State University System includes Florida A&M, Florida Atlantic, Florida State, Florida International, University of Central Florida, University of Florida, University of North Florida, University of South Florida, University of West Florida.

To access:

1. Type TN3270 NERVM.NERDC.UFL.EDU.
2. Press RETURN.
3. Type DIAL VTAM.
4. On the NERDC VTAM IS ACTIVE screen, enter NERLUIS FCLSKYA.

See "Using NOTIS" for more information.

To exit:

1. TYPE %OFF.
2. When NERDC VTAM IS ACTIVE appears, enter UNDIAL.

Fordham University Law School

Location: New York, New York US

To access:

1. Type TELNET LAWPAC.FORDHAM.EDU.
2. At the login prompt, enter lawpac.
3. Select v for VT100.
4. Hit y to confirm.

See "Using INNOPAC" for more information.

To exit, hit Q on the main menu.

Franklin and Marshall College

Location: Lancaster, Pennsylvania US

To access:

1. Type TELNET LIBRARY.FANDM.EDU.
2. At the Username prompt, enter LIBCAT.

See "Using DRA Altas" for more information.

To exit, type <CTRL-Z>.

Georgetown University Medical Center

Location: Washington DC, US

To access:

1. Type TELNET GUMEDLIB2.GEORGETOWN.EDU.
2. At the login prompt, enter medlib.
3. The password is dahlgren.
4. Enter netguest.
5. Hit RETURN several times.
6. Select option 1.

To exit:

1. Press RETURN on the menu.
2. Enter Q.

Georgia Southern University

Location: Statesboro, Georgia US

To access:

1. Type TELNET GSVMS2.CC.GASOU.EDU.
2. At the Username prompt, type info.
3. Select 1 for Henderson Library.
4. Answer Y for "Do you want to connect now?"
5. At the username prompt, enter DRA.

See "Using DRA" for more information.

To quit:

1. Type QUIT.
2. Press RETURN on the menu.

Georgia Union Catalog

Location: Atlanta, GA US

To access:

1. Type TELNET LIBRARY.GSU.EDU.

See "Using PALS" for more information.

To exit, type $$SOFF.

Gettysburg College

Location: Gettysburg, Penn US

To access:

1. Type TELNET LIBCAT1.LIBRARY.GETTYSBURG.EDU.
2. At the login prompt, type lib.

See "Using Innopac" for more information.

To exit, type D on the main menu.

Glasgow University

Location: Glasgow, Scotland UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, type uk.ac.gla.lib.

See "Using Geac" for more information.

To exit, type END.

Griffith University

Location: Nathan, QLD Australia

To access:

1. Type TELNET LIBRARY.GU.EDU.AU.

See "Using Geac" for more information.

To exit, use the TELNET escape key.

Grinnell College

Location: Grinnell, Iowa US

To access:

1. Type TELNET 132.161.10.60.
2. At the login prompt, enter library.

See "Using INNOPAC" for more information.

To exit, type D on the main menu.

Guilford College

Location: Greensboro, North Carolina US

1. Type TELNET PALS.GUILFORD.EDU.

2. At the Username prompt, enter HEGEPAC.

See "Using DRA Altas" for more information.

To exit, type <EXIT.

Hahnemann University

Location: Philadelphia, Pennsylvania US

To access:

1. Type TELNET HAL.HAHNEMANN.EDU.
2. At the Username prompt, enter HAL.

To exit, type Q on the main menu.

Hamline University

Location: Twin Cities, Minnesota US

To access:

1. Type TELNET HOST.CLIC.EDU.
2. At the login prompt, enter hpac for main library or lpac for law library.

See "Using Dynix" for more information.

To exit, type OFF.

Hartwick College

Location: Oneonta, New York US

To access:

1. Type TELNET 147.205.85.30.
2. At the login prompt, enter library.

See "Using INNOPAC" for more information.

To exit, hit D on the main menu.

Harvard University

Location: Boston, Massachusetts US

To access:

1. Type TN3270 HOLLIS.HARVARD.EDU.
2. Type hollis on the Harvard Univ./Office for Information Technology screen.

or

1. Type TELNET HOLLIS.HARVARD.EDU.
2. Press RETURN when Mitek Server screen appears.
3. Type hollis on the Harvard Univ./Office for Information Technology screen.

See "Using Z39.58" for more information.

To exit:

If you used TELNET, hit ESCAPE xx. If you used TN3270, then use the TN3270 escape key.

HELIN Consortium

Location: Rhode Island US

The HELIN Consortium includes University of Rhode Island, Roger Williams University, Rhode Island College, Providence College, and the Community College of Rhode Island.

To access:

1. Type TELNET LIBRARY.URI.EDU.
2. At the login prompt, enter library.

See "Using INNOPAC" for more information.

To exit, hit D for disconnect.

Heriot-Watt University

Location: Edinburgh, Scotland UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. Enter UK.AC.HW.LIB at the hostname prompt.

To exit, hit the TELNET escape key.

Hofstra University

Location: Hempstead, Long Island, New York US

To access:

1. Type TELNET VAXA.HOFSTRA.EDU.
2. At the Username prompt, type LIBRARY.
3. Select 1 on the main menu.

See "Using DRA Altas" for more information.

To exit, type EXIT.

Hogskolan Sundsvall/Harnosand

Location: Sundsvall, Sweden

To access:

1. Type TELNET OLORIN.BIB.HSH.SE.
2. At the Username prompt, enter BIBLIOS for Sundsvall or BIBLIOH for Harnosand.
3. Select option 3 to change language.

See "Using LIBERTAS" for more information.

To exit, type EXIT.

Hong Kong University of Science & Technology

Location: Hong Kong

To access:

1. Type TELNET USTLIB.UST.HK.
2. At the login prompt, type library.

See "Using INNOPAC" for more information.

To exit, type D on the main menu.

HSLC HealthNET

Location: Philadelphia, Pennsylvania US

HSLC HealthNET includes the holdings of the College of Physicians of Philadelphia, Hershey Medical Center (Penn State University), Medical College of Pennsylvania, Philadelphia College of Osteopathic Medicine, Philadelphia College of Pharmacy and Science, and Temple University.

To access:

1. Type TELNET SHRSYS.HSLC.ORG.
2. At the login prompt, enter SAL.

See "Using DRA" for more information.

To exit, type EX.

Hull University

Location: Hull, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. At the hostname, enter uk.ac.hull.li.geac.

See "Using Geac" for more details.

To exit, type E.

Idaho State University

Location: Pocatello, Idaho US

To access:

1. Type TELNET CSC.ISU.EDU.
2. At the login prompt, type hello user.clas01.

See "Using VTLS" for more information.

To exit, type /QUIT.

ILLINET On-line Catalog

Location: Illinois US

To access:

1. Type ILLINET.AISS.UIUC.EDU.
2. Press b and RETURN.
3. Press 1 and RETURN.
4. Select B Library Services.
5. Select 3 Illinet On-Line Catalog.

To exit, hit the Telnet escape key.

Illinois Institute of Technology Law

Location: Chicago, Illinois US

To access:

1. Type TELNET CLARK.KENTLAW.EDU.
2. At the login prompt, enter library.

See "Using INNOPAC" for more information.

To exit, hit D on the main menu.

Indiana University, Indiana Institute of Technology, and Indiana State University

Location: Bloomington, Indiana US

To access:

1. Type TN3270 IUIS3270.UCS.INDIANA.EDU.
2. At the userid prompt, enter GUEST.
3. Pick 3 on the menu.

or

1. Type TELNET IUIS.UCS.INDIANA.EDU.
2. At the userid prompt, enter GUEST.
3. Pick 3 on the menu.

See "Using NOTIS" for more details.

To exit:

1. Enter STOP.
2. Enter K.

Indiana University of Pennsylvania

Location: Pennsylvania

To access:

1. Type TELNET OPAC.LIB.IUP.EDU.

To exit, type QUIT.

Iowa State University

Location: Ames, Iowa US

To access:

1. Type TELNET ISN.IASTATE.EDU.
2. At the DIAL prompt, type LIB.
3. At the ENTER TERMINAL TYPE prompt, type VT100.
4. At the MVS welcome screen, type SCHOLAR.

Use the search instructions for NOTIS catalogs.

To exit, type QUIT.

Ireland Theological Library

Location: Twin Cities, Minnesota US

To access:

1. Type TELNET HOST.CLIC.EDU.
2. At the login prompt, type aimlpac.

See "Using Dynix" for more information.

To exit, type OFF.

James Cook University

Location: Townsville, Queensland Australia

To access:

1. Type TELNET JCULIB.JCU.EDU.AU.
2. At the login prompt, type opac.

See "Using Dynix" for more information.

To exit, select 9 from the main menu.

Joensuu University

Location: Joensuu, Finland

To access:

1. Type TELNET JOYK.JOENSUU.FI.
2. At the HP3000/935 prompt, enter HELLO YOURNAME,USER.CLAS01.
3. Select terminal type 4.
4. At the Anna kokoelma prompt, enter 100.
5. At the Anna uusi komento, help enter /LANG 1 for English.

See "Using VTLS" for more information.

To exit, type /QUIT.

John Carroll University

Location: University Heights, Ohio US

To access:

1. Type TELNET JCVAXC.JCU.EDU.
2. At the Username prompt, enter JCU_OPAC.
3. At the Password prompt, enter grasselli.

See "Using DRA" for more information.

To exit, type 6 on the main menu.

Johns Hopkins University

Location: Baltimore, Maryland US

To access:

1. Type TELNET JHUVM.HCF.JHU.EDU.
2. Enter 56 at the "Please enter your terminal id" prompt.
3. Hit RETURN at the JHU/HAC logo screen.
4. At the command prompt, type DIAL JANUS.
5. When the port assignment appears in the upper left corner of the screen, press RETURN.

See "Using NOTIS" for more information.

To exit, type ####.

Johns Hopkins University Applied Physics Lab

To access:

1. Type TELNET LIBRARY.JHUAPL.EDU.
2. Enter LIB at the APL Group ID prompt.
3. Enter something appropiate at the institutional afflication prompt.
4. At the terminal type prompt, hit RETURN.

To exit, hit the TELNET escape key.

Jyvaskyla University

Location: Jyvaskyla, Finland

To access:

1. Type TELNET JYK.JYU.FI.
2. At the JYKHPXL: prompt, enter HELLO YOURNAME,USER.CLAS01.
3. Select terminal type 4.
4. At the Anna kokoelma prompt, enter 100.
5. At the Anna uusi komento, help enter /LANG 1 for English.

See "Using VTLS" for more information.

To exit, type /QUIT.

Kalamazoo College

Location: Kalamazoo, Michigan US

To access:

1. Type TELNET HME4.MERIT.EDU.
2. At the Which Host prompt, enter KZOO-LIB.

See "Using INNOPAC" for more information.

To exit, type H from the main menu.

Kansas State University

Location: Manhattan, Kansas US

To access the KSU catalog:

1. Type TN3270 KSUVM.KSU.EDU.
2. Type LYNX.

or

1. Type TELNET TELNET.KSU.EDU.
2. Select destination as KSUVM.
3. Enter VT100 at terminal type prompt.
4. Type LYNX.

See "Using NOTIS" appendix for more information.

To exit, type QUIT.

Karolinska Institute

Location: Stockholm, Sweden

To access:

1. Type TELNET KIBIB.KIB.KI.SE.
2. At the username prompt, enter library.

See "Using Libertas" for more information.

To exit, hit the TELNET escape key.

Katholieke Universiteit Brabant

Location: Tilburg, The Netherlands

To access:

1. Type TELNET KUBLIB.KUB.NL.
2. At the username prompt, type KUBGIDS.

To exit, select STOP on the main menu.

Kennesaw College

Location: US

To access:

1. Type TELNET KSCLIB.KENNESAW.EDU.
2. At the login prompt, type library.
3. At the password prompt, type library.
4. Select VT100 emulation.

See "Using UNICORN" for more information.

To exit, type E on the main menu.

Kent State University

Location: Kent, Ohio US

To access:

1. Type TN3270 KENTVM.KENT.EDU.
2. TAB down to COMMAND line.
3. Type DIAL VTAM.
4. At the SELECTION APPLICATION prompt, enter D.
5. At the CICS screen, enter LUKS.

or

1. Type TELNET CATALYST.KENT.EDU.
2. Push <RETURN>.
3. At the ENTER TERMINAL TYPE prompt, enter VT100.
4. At the SELECT APPLICATION prompt, enter D.
5. At the CICS screen, enter LUKS.

See "Using NOTIS" for more details.

To exit if you are using TN3270:

1. Enter X.
2. Enter E on the SELECT APPLICATION menu.

Otherwise, hit the TELNET escape key.

Kenyon College

Location: Gambier, Ohio US

To access:

1. Type TELNET KCVAX2.KENYON.EDU.
2. At the Username prompt, type NISO.
3. Select A from the main menu.

See "Using DRA Atlas" for more information.

To exit, hit the TELNET escape key.

KU Leuven

Location: Belguim

To access:

1. Type TN3270 CC2.KULEUVEN.AC.BE.
2. When connection is established, press RETURN.
3. Next, fill appearing screen as follows:
   Enter Your Userid: INTERNET
   Password: INTERNET New Password:
   Application: BEKU2LIB
   Appliation ID required, no installation default
4. When the DOBIS/LIBIS LOGON screen appears,
   Type under Name : INTERNET
   Type under Password: internet

To exit, type LOGOFF and press RETURN twice.

Kuopio Reserve Library

Location: Kuopio, Finland

To access:

1. Type TELNET VARASTO.UKU.FI.
2. At the MPE XL: prompt, enter HELLO YOURNAME,USER.CLAS01.
3. Select terminal type 4.
4. At the Anna uusi komento, help enter /LANG 1 for English.

See "Using VTLS" for more information.

To exit, type /QUIT.

Kutztown University

To access:

1. Type TELNET ACAD.CSV.KUTZTOWN.EDU.
2. At the login prompt, enter bearcat.

See "Using PALS" for more information.

To exit, hit the TELNET escape key.

Lafayette College

Location: Lafayette, LA US

To access:

1. Type TELNET 139.147.42.4.
2. At the login prompt, type library.

See "Using INNOPAC" for more information.

To exit, hit H on the main menu.

La Trobe University

Location: Bundoora, Victoria Australia

To access:

1. Type TELNET LIBRARY.LATROBE.EDU.AU.
2. At the login prompt, enter catalogue.

To exit, use the Telnet escape key.

Lakehead University

Location: Thunder Bay, Ontario Canada

To access:

1. Type TELNET THINK2.LAKEHEADU.CA.
2. At the Username prompt, type FACULTY.

To exit, hit the PF1 key.

Lamar University

Location: Beaumont, Texas US

To access:

1. Type TELNET LUB002.LAMAR.EDU.
2. At the username prompt, enter LIBRARY.
3. On the menu, choose option 1 for Lamar.

To exit:

1. Type QUIT.
2. Select 0 on the menu.

Lancaster University

Location: Lancaster, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, type janet.
3. Enter uk.ac.lancs.lib at the hostname prompt.
4. Press RETURN.

To exit, use the TELNET escape key.

Lapin University

Location: Rovaniemi, Finland

To access:

1. Type TELNET 128.214.30.51.
2. At the MPE XL: prompt, enter HELLO YOURNAME,USER.CLAS01.
3. Select terminal type 4.
4. At the Anna kokoelma prompt, enter 100.
5. At the Anna uusi komento, help enter /LANG 1 for English.

See "Using VTLS" for more information.

To exit, type /QUIT.

Laval University

Location: Quebec City, Quebec Canada

To access:

1. Type TELNET ARIANE.ULAVAL.CA.
2. At the Username prompt, type ARIANE.

See "Using MULTILIS" for more information.

To exit, hit the TELNET escape key.

Lawrence University

Location: Appleton, Wisconsin US

To access:

1. Type TELNET LUCIA.LIB.LAWRENCE.EDU.
2. At the username prompt, enter LUNET.

See "Using DRA Atlas" for more information.

To exit, type exit or hit ctrl-z.

Leeds Polytechnic

Location: Leeds, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. Enter UK.AC.LSPLY.LIBRARY at the hostname prompt.

4. At the Username prompt, enter LIBRARY.
5. Select 1 for VT100.

See "Using Libertas" for more information.

To exit, type EXIT

Lehigh

Location: Bethlehem, Pennsylvania US

To access:

1. Type TELNET ASA.LIB.LEHIGH.EDU.

See "Using GEAC" for more details.

To exit, type END.

Leicester University

Location: Leicester, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. Enter uk.ac.le.lib at the hostname prompt.
4. Enter LIBRARY at the Username prompt.

Using "Using Libertas" for more information.

To exit, type END.

LIBLINK: Access to New South Wales Libraries

Location: New South Wales Australia

This system includes the online catalogues of the universities in New South Wales.

To access:

1. Type TELNET UNILINC.EDU.AU.
2. At the login prompt, type liblink.

To exit:

1. Type X repeatedly.
2. When you get to the Exit? prompt, type y.

Liverpool University

Location: Liverpool, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. At the hostname prompt, enter UK.AC.LIV.LIB.
4. When terminal type is requested, type VT100.
5. When the screen clears, hit RETURN.

To logout:

1. Enter E.
2. Select 5 off the menu.

London University Central Libertas Consortium

Location: London, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, enter UK.AC.LON.CONSULL.
4. At the Username prompt, enter LIBRARY.
5. Enter 1 for terminal model.

See "Using Libertas" for more information.

To exit, type EXIT.

London Univ, British Library of Political & Economic Science

Location: London, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. Enter UK.AC.LSE.BLPES at the hostname prompt.
4. At the Username prompt, enter LIBRARY.
5. When prompted for terminal model, enter 1.

See "Using Libertas" for more information.

To exit, type EXIT.

London University, Imperial College

Location: London, England UK

To access:

1. Type TELNET VAXA.LIB.IC.AC.UK.
2. At the Username prompt, enter LIBRARY.
3. When prompted for the terminal model, enter 1.

See "Using Libertas" for more information.

To logout, type EXIT.

London University, Kings College

Location: London, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. At the hostname prompt, type UK.AC.KCL.LIB.
4. At the Username prompt, enter LIBRARY.

See "Using Libertas" for more details.

To logout, type EXIT.

London University, Queen Mary and Westfield College

Location: London, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, enter UK.AC.QMW.LIB.
4. At the Username prompt, enter LIBRARY.
5. Enter 1 for terminal model.

See "Using Libertas" for more information.

To logout, type EXIT.

London University, Royal Holloway and Bedford New College

Location: London, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.

3. At the hostname prompt, enter UK.AC.RHBNC.LIB.
4. At the Username prompt, enter LIBRARY.
5. Enter 1 for VT100.

See "Using Libertas" for more information.

To exit, type EXIT.

London University, School of Oriental and African Studies

Location: London, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, enter UK.AC.LON.SOAS.LIB.
4. At the Username prompt, enter LIBRARY.
5. Select 1 for VT100.

See "Using Libertas" for more information.

To exit, type EXIT.

London University, University College

Location: London, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, enter UK.AC.UCL.LIB.
4. At the Username propmt, enter LIBRARY.
5. Enter 1 for terminal model.

See "Using Libertas" for more information.

To exit, type EXIT.

Loughborough University

Location: Loughborough, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, enter UK.AC.LUT.LIB.

See "Using BLCMP" for more information.

To exit, type E.

Loyola University

Location: Chicago, Illinois US

To access:

1. Type TN3270 LUCCPUA.IT.LUC.EDU.
2. Enter GUEST at the logonid prompt.
3. TAB next to LUIS and hit return.

See "Using NOTIS" for more information.

To exit, hit the TN3270 escape key.

Lunar and Planetary Institute

Location: Houston, Texas US - Johnson Science Center, NASA

To access:

1. Type TELNET LPI.JSC.NASA.GOV, SET HOST LPI from SPAN or HEPNET, or SET HOST UTADNX::UTSPAN::LPI from THENET.
2. At the username prompt, enter PATRON.
3. At the password prompt, enter LPI.
4. Hit RETURN.
5. When asked if you would like to continue, enter Y.

To exit, type G on the main patron program menu.

Lunar and Planetary/Antarctic Meteorite Literature Bibliography

1. Type TELNET LPI.JSC.NASA.GOV, SET HOST LPI from SPAN or HEPNET, or SET HOST UTADNX::UTSPAN::LPI from THENET.
2. At the username prompt, enter SEARCH.
3. At the password prompt, enter LPI.
4. Hit RETURN.
5. When asked if you would like to continue, enter Y.
6. Enter NEWUSER as an account name.
7. Enter SEARCH as a password.

To exit,

1. Type QUIT on the Command Options Listing.
2. Type YES when prompt.

Lund University

Location: Lund, Sweden

To access:

1. Type TELNET LOLITA.LU.SE
2. Select terminal type 10. If you have a terminal that supports Scandinavian 7-bit ASCII, select 4.
3. Enter 100 as the location code
4. Type /LANG 1 to select English

See "Using VTLS" for more information.

To exit:

1. Type /QUIT.
2. Enter Y to confirm.

Lynchburg College

Location: Lynchburg, Virginia US

To access:

1. Type TELNET LION.EDU.
2. At the login prompt, type sblib.
3. Select 2 for VT100 emulation.

See "Using DYNIX" for more information.

To exit, hit the Telnet escape key.

Macalester College

Location: Twin Cities, Minnesota US

To access:

1. Type TELNET HOST.CLIC.EDU.
2. At the login prompt, enter mpac.

See "Using DYNIX" for more information.

To exit, type OFF.

Macquarie University

Location: NSW Australia

To access:

1. Type TELNET MARS.MQCC.MQ.OZ.AU.

To exit, use the TELNET escape key.

Malaspina College

Location: Canada

To access:

1. Type TELNET MALA.BC.CA.
2. At the Username prompt, enter MACAT.

See "Using BuCAAT" for more information.

To exit, type q on the main menu.

Manchester University

Location: Manchester, England UK

To access:

1. Type TELNET UTS.MCC.AC.UK.
2. At the login prompt, enter mancat.
3. At the > prompt, type mancatx.

or

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, enter UK.AC.MAN.CN.XB.
4. At the Owens Class prompt, enter LIBRARY.
5. When prompted for terminal type, type VT100.

To exit, hit X.

Maricopa Community Colleges

Location: Maricopa County, Arizona US

The Maricopa Community Colleges include Chandler Gilbert Community College, Glendale Community College, Gateway Community College, Mesa Community College, Phoenix Community College, Paradise Valley Community College, Rio Salado Community College, Scottsdale Community College, South Mountain Community College, and Maricopa Center for Learning and Instruction.

To access:

1. Type TELNET LIB.MARICOPA.EDU.
2. Hit RETURN.
3. At the Username prompt, type LIB.

To exit, hit CTRL-Z or type EXIT.

Marist College

Location: Poughkeepsie, New York US

To access:

1. Type TN3270 VM.MARIST.EDU.
2. At the System ID prompt, type dobis.
3. Select DOBIS from the menu.

See "Using DOBIS/LIBIS" for more information.

To exit:

1. Type e.
2. Type CSSF LOGOFF.

Marquette University

Location: Milwaukee, Wisconsin US

To access:

1. Type TELNET LIBUS.CSD.MU.EDU.
2. At the login prompt, type m.
3. Select v at the TERMINAL prompt.
4. Confirm with y.

See "Using INNOPAC" for more information.

To exit, select the Q option off the menu.

Massachusetts Institute of Technology

Location: Boston, Massachusetts US

To access:

1. Type TELNET LIBRARY.MIT.EDU.
2. Press RETURN.
3. Enter /V.
4. Press RETURN.

See "Using GEAC" for more information.

To exit, hit the TELNET escape key.

Massey University

Location: Palmerston North, New Zealand

To access:

1. Type TELNET LIBSERVER.MASSEY.AC.NZ.
2. At the Username prompt, type any character and hit RETURN.
3. At the Local prompt, type C MU-LIBRARY.
4. Press RETURN.

To exit, hit the TELNET escape key.

McGill University

Location: Montreal, Quebec Canada

To access:

1. TypeTN3270 MVS.MCGILL.CA.
2. On the menu, choose option 2 (Muse).
3. Hit RETURN on the CICS screen.

See "Using NOTIS" for more information.

To exit, type OFF.

McMaster University

Location: Hamilton, Ontario Canada

To access:

1. Type TN3270 MCMVM1.CIS.MCMASTER.CA.
2. TAB to the COMMAND prompt
3. Type DIAL VTAM.
4. At the ENTER YOUR LOGONID prompt, enter super.
5. At the ENTER PASSWORD prompt, enter session.
6. At the SNA SYSTEMS INTERCONNECT screen, enter s.
7. At the SERVICE SELECTION screen, hit F9.
8. At the SUPERSESSION APPLICATION SELECTION screen, hit F3.

See "Using NOTIS" for more details.

To exit, use the TN3270 escape key.

Medical College of Wisconsin

Location: Wisconsin US

To access:

1. Type TELNET ILS.LIB.MCW.EDU.
2. At the login prompt, type library.

See "Using INNOPAC" for more information.

To exit, hit D on the main menu.

Memorial University

Location: St. John’s, Newfoundland, CA

To access:

1. Type TELNET MUNGATE.LIBRARY.MUN.CA.
2. At the login prompt, type mungate.
3. Enter vt100 as terminal type.

To exit, type LOGOFF.

Memphis State University

Location: Memphis, TN US

To access:

1. Type TELNET MSUVX1.MEMST.EDU.
2. At the Username prompt, enter MSULBRY.
3. After you see two lines beginning with %LAT, press RETURN.

To exit, hit CTRL-D.

Miami University

Location: Oxford, Ohio US

To access:

1. Type TELNET WATSON.LIB.MUOHIO.EDU.
2. At the login prompt, type library.

See "Using INNOPAC" for more information.

To exit, type H on the main menu.

Michigan State University

Location: East Lansing, Michigan US

To access:

1. Type TN3270 MAGIC.LIB.MSU.EDU.
2. At the VM370 screen, type DIAL MAGIC.
3. At the Terminal Emulator screen, enter VT100.

or

1. Type TELNET MERIT.MSU.EDU.
2. At the Which Host? prompt, enter MAGIC.
3. At the terminal id, enter VT100.

See "Using NOTIS" for more instructions.

To exit, use the TELNET or TN3270 escape key.

Michigan Technological University

Location: Houghton, Michigan US

To access:

1. Type TELNET HME4.MERIT.EDU.
2. At the Which Host prompt, enter FOCUS.

3. Press RETURN.
4. Enter VT100 as terminal type.
5. Press RETURN again.

See "Using NOTIS" for more information.

To exit, use the telnet escape key.

Middlebury College

Location: Middlebury, Vermont US

To access:

1. Type TELNET LIB.MIDDLEBURY.EDU.
2. At the Username prompt, enter LIB.
3. Type 1 for the main catalog.

See "Using DRA Atlas" for more information.

To exit:

1. Type EXIT.
2. Enter 0 on main menu.

Minnesota State University System

Location: Mankato, Minnesota US (cover North Dakota and South Dakota too)

The PALS system contains information on many libraries including Bemidji State University, Bethany Lutherian College/Seminary, BHSU, College of St. Scholastica, Dakota State University, Dickinson State, Jamestown College, Mankato State University, Mayville State University, Minnesota Historical Society, Minnesota Legislative Reference Library, Minot State University, Moorhead State University, North Dakota State College Wahpeton, North Dakota State University, NSU, Ogalala College, Pierre Area, Sioux Falls College, Southwest State University, St. Mary's College of Winona, St. Olaf College, University of Minnesota Crookston, University of Minnesota Waseca, University of North Dakota, University of South Dakota, Valley City State University, and Winona State University.

To access:

1. Type TELNET MSUSGW.UMN.EDU.
2. At the "enter destination" prompt, enter PALS.

See "Using PALS" for more information.

To exit, type END.

Mississippi State University

Location: Starkville, Mississippi US

To access:

1. Type TELNET LIBSERV.MSSTATE.EDU.
2. At the login prompt, enter msu.
3. At the password prompt, enter library.

To exit, choose option 6 on the main menu.

Monash University Library

Location: Clayton, Victoria Australia

To access:

1. Type TELNET LIBRARY.MONASH.EDU.AU.

To exit, type <CTRL-P> di.

Montana State University

Location: Bozeman, Montana US

To access:

1. Type TELNET CATALOG.LIB.MONTANA.EDU.
2. At the : prompt, type HELLO MSU.LIBRARY.

See "Using Inlex" for more information.

To exit, type EX.

Monterrey Institute of Technology

Location: Monterrey, Mexico

To access:

1. Type SET HOST MTECV2 from the VAXcluster or TELNET MTECV2.MTY.ITESM.MX.
2. At the username prompt, type mtycat.

To exit:

1. Select the menu option "Salir del Sistema".

Please note that all instructions are in Spanish. An English interface is supposed to be added soon.

Mount Allison University

Location: Sackville, New Brunswick Canada

To access:

1. Type TELNET 138.73.1.1 or TN3270 138.73.1.1.
2. Hit RETURN.
3. Enter 1 for English.

See "Using DRA ATLAS" for more details.

To exit, press CTRL-Z.

Murdoch University

Location: Murdoch, Western Australia, Australia

To access:

1. Type TELNET LIBRARY.MURDOCH.EDU.AU.
2. Press RETURN to display the Search Menu.

To exit, hit the Telnet escape key.

National Center for Atmospheric Research

Location: Boulder, Colorado US

To access:

1. Type TELNET LIBRARY.UCAR.EDU.
2. Select VT100 as your terminal type.

See "Using UNICORN" for more information.

To exit, hit END on the main menu.

National Central Library - Taiwan

Location: Taipei, Taiwan

To access:

1. Type TELNET 192.83.186.1.
2. Enter LTACL at the Enter Choice prompt.
3. Enter LOGON 5509,DEMB:DEM at the NBINET prompt.
4. Enter BIG5 as password.

This system appears to only function in Chinese.

To exit, type LOGOFF.

National Chiao Tung University

Location: Hsinchu, Taiwan

To access:

1. Type TELNET LIB1.NCTU.EDU.TW.
2. At the login prompt, type library.
3. Select 3 (Non-Chinese) as terminal type.

To exit, type Q on main menu.

National Institutes of Health

Location: US

To access:

1. Type TELNET NIH-LIBRARY.NIH.GOV.
2. When connected, hit ESCAPE.

See "Using INNOPAC" for more information.

To exit, hit D on main menu.

National Library of Australia

Location: Canberra ACT, Australia

To access:

1. Type TELNET JANUS.NLA.GOV.AU.

See "Using DYNIX" for more information.

To exit, type 10 on the main menu.

National Library of Scotland

Location: Edinburgh, Scotland UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, enter uk.nls.opac.
4. At the MPE XL prompt, enter hello username,ref.clas50.

See "Using VTLS" for more information.

To exit, type 0 on the main menu.

National Library of Wales

Location: Aberystwyth, Wales UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. At the hostname prompt, enter UK.AC.NAT-LIB-WALES.
4. At the LOGON prompt, enter ?.
5. Select 5 for VT100.

To exit, select option 8.

National Taiwan University

Location: Taipei, Taiwan

To access:

1. Type TELNET 140.112.196.20.
2. At the login prompt, type library.
3. Select v for VT100.

See "Using INNOPAC" for more information.

To exit, hit Q on the main menu.

National Tsing Hua University

Location: Hsinchu, Taiwan

To access:

1. Type TELNET 140.114.72.2.
2. At the login prompt, type search.
3. Press RETURN.

To exit:

1. Hit Q.
2. Then Y to confirm.

Nebraska State Colleges

Location: Nebraska US

Sites include Peru State College, Chadron State College, and Wayne State

College.

To access:

1. Type TELNET NSCS.UNL.EDU.
2. At the login prompt, type library.

See "Using INNOPAC" for more information.

To exit, hit H on the main menu.

Nevada Academic Libraries Information System (NALIS)

Location: Nevada, US

Sites include Community College of Southern Nevada, Desert Research Institute, Northern Nevada Community College, Truckee Meadows Community College, University of Nevada Las Vegas, University of Nevada Reno, and Western Nevada Community College.

To access:

1. Type TELNET LIBRARY.NEVADA.EDU.

See "Using INNOPAC" for more information.

To exit, type D on the main menu.

Newcastle University

Location: Newcastle-Upon-Tyne, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. At the hostname prompt, enter UK.AC.DURHAM.GATE.
4. At the which service prompt, enter NCL.INFO.

See "Using CATS" for more information.

To exit, type STOP.

New Mexico Highlands University

Location: Las Vegas, New Mexico US

To access:

1. Type TELNET VENUS.NMHU.EDU.
2. At the Username prompt, enter ATLAS.
3. Type 0 for catalog.

See "Using DRA Atlas" for more information.

To exit:

1. Type EXIT.
2. Type Q on main menu.

New Mexico State University

Location: Las Cruces, New Mexico US

To access:

1. Type TELNET LIBRARY.NMSU.EDU.
2. At the : prompt, type hello user.libr01.
3. When asked for terminal type, enter 5.
4. When asked for location code, enter 0100.

See "Using VTLS" for usage instructions.

To exit, enter /QUIT.

New York Public Library

Location: New York, New York US

To access:

1. Type TELNET NYPLGATE.NYPL.ORG.
2. At the login prompt, enter nypl.
3. At the password prompt, enter nypl.

New York State Library

Location: Albany, New York US

To access:

1. Type TELNET NYSL.NYSED.GOV.
2. At the login prompt, type library.
3. At the password prompt, type catalog2.
4. When connect, type L1.

To exit, type CTRL-X.

New York University

Location: New York, New York US

Main Library

To access:

1. Type TELNET BOBCAT.NYU.EDU.
2. Hit <RETURN>.

See "Using GEAC" for usage instructions.

To exit, type END.

Ehrman Medical, Waldmann Dental, and Law Libraries

To access:

1. Type TELNET MCLIB0.MED.NYU.EDU.
2. At the login prompt, type library.
3. For Law Library, select A on main menu and then 2 on the next menu.

See "Using INNOPAC" for more details.

To exit, hit D.

NISSPAC

Location: UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the hostname prompt.
3. At the hostname prompt, type UK.AC.NISS.PAC.
4. At the . prompt, enter LOGON NISSCAT.

To exit:

1. Enter 99.
2. Enter Y when asked if you are sure.

Northern Territory University

Location: Casuarina, Northern Territory Australia

To access:

1. Type TELNET LIB2.NTU.EDU.AU.
2. At the login prompt, enter libnet.

See "Using Dynix" for more information.

To exit, choose option 15 off the main menu.

Novanet

Location: Nova Scotia, Canada

Novanet includes many libraries in Nova Scotia including Atlantic School of Theology, Dalhousie University, Mount Saint Vincent University, Nova Scotia College of Art and Design, Saint Mary's University, Technical University of Nova Scotia, University College of Cape Breton, and University of Kings College.

To access:

1. Type TELNET NOVANET.DAL.CA.

See "Using GEAC" for more information.

To exit, type END.

Northeast Missouri State University

Location: Kirksville, Missouri US

To access:

1. Type TN3270 ACADEMIC.NEMOSTATE.EDU.
2. TAB twice down to the COMMAND prompt.
3. Type DIAL VTAM.
4. Type A.

See "Using NOTIS" for more information.

To exit:

1. Type STOP.
2. Type UNDIAL.

Northeastern Ohio Universities College of Medicine

Location: Rootstown, Ohio US

To access:

1. Type TELNET SCOTTY.NEOUCOM.EDU.
2. Enter neocat at the login prompt.
3. Press RETURN twice.

To exit:

1. Type QUIT
2. Select 4 from the NEOCAT main menu.

Northwestern University

Location: Evanston, Illinois US

To access:

1. Type TN3270 LIBRARY.UCC.NWU.EDU.
2. At the Database Selection Menu, enter NCAT.

See "Using NOTIS" for details.

To exit:

1. Type STOP on the LUIS command line.

Nottingham University

Location: Nottingham, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, enter UK.AC.NOTT.LIB.
4. At the Username prompt, type LIBRARY.
5. Select 1 for VT100 emulation.

See "Using Libertas" for more information.

To exit, hit the TELNET escape key.

Oberlin College

Location: Oberlin, Ohio US

To access:

1. Type TELNET OBIS.LIB.OBERLIN.EDU.

See "Using GEAC" for more information.

To exit, hit CTRL-D at any prompt.

Occidental College

Location: Los Angeles, California US

To access:

1. Type TELNET KITTY.OXY.EDU.
2. Type OASYS at the ENTER RESOURCE NAME prompt.
3. At the login prompt, type oasys.
4. Pick v as your terminal type.
5. Enter y to confirm.

See "Using INNOPAC" for usage information.

To exit, type D.

OCLC

Location: Ohio, US

To access:

1. Type TELNET EPIC.PROD.OCLC.ORG.

You will need an authorization code to use OCLC however.

Ohio Northern University

Location: Ada, Ohio US

To access:

1. Type TELNET POLAR.ONU.EDU.
2. At the login prompt, type library.
3. Select v for VT100.
4. Hit y to confirm.

See "Using INNOPAC" for more information.

To exit, hit Q on the main menu.

Ohio State University

Location: Columbus, Ohio US

To access:

1. Type TELNET LCS.US.OHIO-STATE.EDU.
2. Choose 0 as your terminal type.
3. Type HELP to see options.

To exit, hit the TELNET escape key.

Old Dominion University

Location: Norfolk, Virginia US

To access:

1. Type TELNET GEAC.LIB.ODU.EDU.

See "Using GEAC" for details.

To exit:

1. Type END or QUIT.

Ontario Institute for Studies in Education

Location: Toronto, Ontario, Canada

To access:

1. Type ELOISE.OISE.ON.CA.
2. At the login prompt, enter eloise.

See "Using Multilis" for more information.

To exit, hit PF1 or the TELNET escape key.

Open University

Location: Milton Keyes, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, enter UK.AC.OPEN.LIB.
4. At the username prompt, enter OULIBRARY.

See "Using Libertas" for more information.

To exit, type EXIT.

Oregon Health Sciences University

Location: Portland, Oregon US

To access:

1. Type TELNET OHSU.EDU.
2. At the login prompt, enter catalog.
3. At the password prompt, enter catalog.

See "Using VTLS" for more information.

To exit, type ~q.

Oregon State University

Location: Corvallis, Oregon US

To access:

1. Type TELNET OASIS.KERR.ORST.EDU.
2. Type OASIS at Login Please prompt.
3. Enter 11 for VT100 emulation.

To exit, use the TELNET escape key.

Ottawa Public Library

Location: Ottawa, Ontario Canada

To access:

1. Type TELNET OTTLIB.CARLETON.CA.

See "Using DRA Atlas" for more information.

To exit, type 4 on the main menu.

Oulu University

Location: Oulu, Finland

To access:

1. Type TELNET KIRJASTO.OULU.FI.
2. At the KIRJASTO: prompt, enter HELLO YOURNAME,USER.CLAS01.
3. Select terminal type 4.
4. At the Anna kokoelma prompt, enter 100.
5. At the Anna uusi komento, help enter /LANG 1 for English.

See "Using VTLS" for more information.

To exit, type /QUIT.

Oxford Polytechnic

Location: Oxford, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, enter UK.AC.OXPOLY.LIB.

To exit, type E on the main menu.

Oxford University

Location: Oxford, England UK

To access:

1. Type TELNET LIBRARY.OX.AC.UK.
2. Enter VT100 as your terminal type.

See "Using DOBIS/LIBIS" for more information.

To exit, type e.

Pennsylvania State University

Location: University Park, Pennsylvania US

To access:

1. Type TELNET LIAS.PSU.EDU.
2. Normally, VT100 should be negotatied at this point. If you have terminal emulation problems, try typing TERMINAL VT100 at the >>> prompt.

To exit, type QUIT or EXIT.

PEPSY

Location: Denmark

Contains Nordic literature on peadagogics. Userid and password is required, but I do not have instructions on how to get them.

To access:

1. Type TELNET VMS2.UNI-C.DK.

To exit, unknown.

Pima College

Location: Arizona US

To access:

1. Type TELNET LIBCAT.PIMA.EDU.
2. At the login prompt, type library.
3. Select v for VT100.
4. Hit y to confirm.

See "Using INNOPAC" for more information.

To exit, hit D on the main menu.

Polytechnic South West

Location: Plymouth, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. At the hostname prompt, enter UK.AC.POLY-SOUTH-WEST.LIBRARY.
4. At the username prompt, enter LIBRARY.
5. Enter 1 as the terminal model.

See "Using Libertas" for details.

To exit, type EXIT.

Portland State University

Location: Portland, Oregon US

To access:

1. Type TELNET PSULIB.CC.PDX.EDU.
2. At the login prompt, enter dialin.
3. Enter VT100 as terminal type.

See "Using Unicorn" for more information.

To exit, hit the TELNET escape key.

Princeton University

Location: Princeton, New Jersey US

To access:

1. Type TELNET CATALOG.PRINCETON.EDU.

To exit:

1. Type LOGOFF or END.

Princeton Manuscripts Catalog

Location: Princeton, New Jersey US

To access:

1. Type TN3270 PUCC.PRINCETON.EDU.
2. At the VM370 logo screen, hit RETURN.
3. Type FOLIO.
4. On the FOLIO welcome screen, hit RETURN.
5. When the list of choices appear, choose 3.

To exit, type LOGOFF.

Purdue University

Location: West Lafayette, Indiana US

To access:

1. Type TN3270 LIB.CC.PURDUE.EDU.

See "Using NOTIS" for usage instructions.

To exit, use the TN3270 escape key.

Queen’s University

Location: Kingston, Ontario Canada

To access:

1. Type TN3270 QUCDNADM.QUEENSU.CA.

See "Using NOTIS" for usage instructions.

To exit, use the TN3270 escape key.

Queen’s University of Belfast

Location: Belfast, Northern Ireland UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, type janet.
3. At the hostname prompt, enter UK.AC.QUB.LIB.
4. Press RETURN.

See "Using BLCMP" for more information.

To exit, use the TELNET escape key.

Reading University

Location: Reading, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, enter UK.AC.RDG.LINNET.
4. Press CTRL-O twice.

To exit, use the TELNET escape key.

Rechenzentrum Der Universitaet Zuerich
(University of Zurich)

Location: Zurich, Switzerland

To access:

1. Type TN3270 TSO.UNIZH.CH.
2. At the Command prompt, enter DOBIS.

or

1. Type TN3270 RZUCMS.UNIZH.CH.
2. TAB twice.
3. At the Command prompt, enter DIAL VTAM.
4. At the Command prompt, enter DOBIS.
5. Press RETURN.
6. If you desire English, enter 4 and then 1.

or

1. Type TELNET NUZ.UNIZH.CH.
2. Press RETURN.

3. At the # prompt, type CALL C200.
4. Enter VT100 as terminal type.
5. Enter 1 at the Ihre Wahl prompt.
6. Press RETURN.
7. At the Command prompt, enter DOBIS.

To exit, use the TN3270 or TELNET escape key.

Reed College

Location: Portland, Oregon US

To access:

1. Type TELNET REEDLIB.REED.EDU.
2. Hit RETURN.

See "Using Z39.58" for more information.

To exit, hit the TELNET escape key.

Rensselaer Polytech Institute

Location: Troy, New York US

To access:

1. Type TELNET INFOTRAC.RPI.EDU.
2. On the Welcome to InfoTrax screen, type LIB.
3. On the Library Information screen, type CAT.

To exit:

1. Type STOP.

Research Libraries Information Network

Location: Mountain View, California US

To access:

1. Type TELNET RLIN.STANFORD.EDU for a full-duplex connection.
   Type TELNET RLG.STANFORD.EDU for a half-duplex connection.

Note: You must have an account to use RLIN. Call (800) 537-RLIN or send e-mail to bl.ric@rlg.stanford.edu for more information.

Reseau Romand

Location: Lausanne, Switzerland

To access:

1. Type TELNET RERO.SWITCH.CH.
2. Press RETURN.
3. At the Terminal Type prompt, enter 02.
4. At the SIBIL screen, press ENTER. (Sometimes you have to do this several times before it works)
5. To switch to English, choose item 14 and then item 3.

To exit, hit the TELNET escape key.

Rice University

Location: Houston, Texas US

To access:

1. Type TN3270 LIBRARY.RICE.EDU.
2. When signon screen appears, hit TAB twice.
3. On COMMAND ==> line, type DIAL LIBRIS.
4. CTRL-Z to clear the screen.

See "Using NOTIS" for usage instructions.

To exit, use the TN3270 escape key.

Rijksuniverstiet Limburg

Location: The Netherlands

To access:

1. Type TELNET IHOL02.RULIMBURG.NL.
2. At the Username prompt, enter OPC1.

To exit, type STP.

Rochester Institute of Technology

Location: Rochester, New York US

To access:

1. Type TELNET RITVAX.ISC.RIT.EDU.

2. Enter LIBRARY as the username.
3. Press RETURN.
4. Type 1.

See "Using INNOPAC" for more details.

To exit:

1. Type D.
2. After the "connection closed" message, type 9.

Rockefeller University

Location: New York, New York US

To access:

1. Type TELNET LIBRARY.ROCKEFELLER.EDU.
2. At the login prompt, enter library.
3. At the TERM prompt, enter vt100.

To exit, choose the menu option for exit.

Roskilde University Library

Location: Roskilde, Denmark

To access:

1. Type TELNET FIND.UNI-C.DK.
2. At the login prompt, type find.
3. At the brugerkode prompt, type rubikon.
4. Type 1 to select terminal type.

To exit, type stop.

Royal Institute of Technology, Stockholm

Location: Stockholm, Sweden

To access:

1. Type TELNET KTHBIB.LIB.KTH.SE.
2. At the username prompt, type BIBKAT.

See "Using LIBERTAS" for more information.

To exit, type EXIT.

Royal Library in Kopenhagen

Location: Kopenhagen, Denmark

To access:

1. Type TELNET REX.BIB.DK.
2. Press RETURN.
3. When you see "Connected to dkb", press ESCAPE.
4. At the att prompt, type rex.
5. At the > prompt, type kb rex.

To exit, type logout.

Royal Melbourne Institute of Technology

Location: Melbourne, VIC Australia

To access:

1. Type TELNET CCANNEX02.XX.RMIT.OZ.AU.
2. Press RETURN.
3. When menu appears, select either VICNET96 or VICNET24.
4. At the "Which System?" prompt, enter MATLAS.

or

1. Type TELNET VICNET.XX.RMIT.OZ.AU.
2. At the "Which System?" prompt, enter MATLAS.

See "Using GEAC" for usage instructions.

To exit, type END.

Rutgers University

Location: Piscataway, New Jersey US

To access:

1. Type TELNET LIBRARY.RUTGERS.EDU.
2. Press <RETURN>.

See "Using GEAC" for details.

To exit, type END.

Rutherford Appleton Laboratory

Location: Didcot, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. Enter UK.AC.RL.IB at the hostname prompt.
4. Select 24 as your page size.
5. Enter LOGON LIB7 (LIB4, LIB5, or LIB8).
6. Enter password based on season. for example, Mar-May 91 is SPRING91, Jun-Aug 91 SUMMER91, Sept-Nov 91 is AUTUMN91, Dec-Feb 92 is WINTER91.
7. Enter NO to continue.
8. Enter Y to enter the library system.

To exit, select 12 on the main menu.

St. Andrews University

Location: St. Andrews, Scotland UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. Enter UK.AC.ST-AND.LIB at the hostname prompt.
4. Press RETURN.

To exit, type 9.

Circulation System

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. Enter UK.AC.ST-ANDREWS.CIRCON at the hostname prompt.
4. Enter 1 at the enter number prompt.

To exit, hit RETURN on a blank line.

St. Boniface General Hospital

Location: Winnipeg, Manitoba, Canada

To access:

1. Type TELNET UMOPAC.UMANITOBA.CA.
2. At the UML=> prompt, type BE.

See "Usings PALS" for more information.

To exit, type $$SOFF.

St. Mary's University

Location: San Antonio, Texas US

To access:

1. Type TELNET VAX.STMARYTX.EDU.
2. At the username prompt, type DYNIX.
3. At the password prompt, type CATALOG.
4. At the Logon please prompt, type DIALUP.
5. At Enter Selection, pick 3 for VT100.
6. When asked if screen was readable, type Y.

See "Using Dynix" for more information.

To exit:

1. Type SO to return to the main menu.
2. Select 10 (Logoff) from the main menu.
3. At the Logon Please prompt, hit CTRL-D.

St. Norbert College

Location: DePore, Wisconsin US

To access:

1. Type TELNET SNCLIB.SNC.EDU.
2. At the login prompt, type library.

See "Using INNOPAC" for more information.

To exit, hit Q on the main menu.

Salford University

Location: Salford, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. At the hostname prompt, enter UK.AC.SALF.SAISO.
4. Press RETURN.

See "Using BLCMP" for more information.

To exit, use the TELNET escape key.

Sam Houston State University

Location: Huntsville, Texas US

To access from the Internet:

1. Type TELNET LUB002.LAMAR.EDU.
2. At the Username prompt, enter LIBRARY.
3. Select 4 on the menu.
4. Select 1 on the Remote menu.

From THENET:

1. Type SET HOST LOKI.
2. At the Username: prompt, type LIBRARY.

See "Using DRA Altas" for more information.

To exit, just hit CTRL-Z.

San Francisco State University

Location: San Francisco, California US

To access:

1. Type TELNET OPAC.SFSU.EDU.
2. Enter sfsu at the login prompt.
3. Hit RETURN at the password prompt.

To exit:

1. Enter E.
2. Select option 3.

Santa Clara University

Location: Santa Clara, California US

To access:

1. Type TELNET SCULIB.SCU.EDU.
2. At login prompt, enter clara.

See "Using INNOPAC" for more information.

To exit, hit Q on the main menu.

Sheffield University

Location: Sheffield, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. At the hostname prompt, enter UK.AC.SHEFFIELD.LIBRARY.

See "Using BLCMP" for more information.

To exit, select E on the main menu.

Simmons College

Location: Boston, Massachusetts US

To access:

1. Type TELNET LIB.SIMMONS.EDU.
2. At the login prompt, type library.
3. Select v for VT100.
4. Hit y to confirm.

See "Using INNOPAC" for more information.

To exit, hit D on the main menu.

Simon Fraser University

Location: Burnaby, British Columbia, Canada

To access:

1. Type LIBRARY.SFU.CA.
2. At the Username prompt, type SFULIB.

See "Using GEAC" for more information.

To exit, type END.

Skidmore College

Location: Saratoga Spring, New York US

To access:

1. Type TELNET LUCY.SKIDMORE.EDU.
2. At the login prompt, enter pac.
3. Select 3 for VT100.
4. Type y.

See "Using DYNIX" for more information.

To exit:

1. Type 13 on main menu.
2. Type later.

Smithsonian Institute

Location: Washington DC, US

To access:

1. Type TELNET GANDALF.SI.EDU.
2. At which service prompt, enter sibis.
3. Press RETURN.
4. At enter selection prompt, enter CA1.

See "Using GEAC" for more information.

To exit, hit the TELNET escape key.

Snow College

Location: Ephraim, Utah US

To access:

1. Type TELNET LIB.SNOW.EDU.
2. At the login prompt, enter public.

See "Using DYNIX" for more information.

To exit, hit the TELNET escape key.

Sonoma State University

Location: Rohnert Park, California US

To access:

1. Type TELNET VAX.SONOMA.EDU.
2. Enter OPAC at the Username prompt,

To exit, select 6 on the main menu.

South Bank Polytechnic

Location: London, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. Enter UK.AC.SBANK.SWITCH at the hostname prompt.
4. Choose option G.
5. After the "connected to port" message, press RETURN.

See "Using Geac" for more information.

To exit, type E.

Southern Methodist University

Location: Dallas, Texas US

To access:

1. Type TN3270 VM.CIS.SMU.EDU.
2. Hit TAB twice to get to the COMMAND line.
3. Type DIAL VTAM.
4. When the sign-on screen appears, enter PONI.
5. On the CICS screen, press CTRL-Z (the clear key).
6. Enter lusm.

See "Using NOTIS" for usage instructions.

To exit, use the TN3270 escape key.

Southampton University

Location: Southampton, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. Enter UK.AC.SOTON.LIB at the hostname prompt.
4. At the login prompt, enter library.

To exit, type O at the main menu.

Southern Utah University

Location: Utah US

To access:

1. Type TELNET LIB.LI.SUU.EDU.
2. Enter public at the login prompt.
3. Enter 1 for VT100.
4. When asked if the screen was readable, type y.

See "Using Dynix" for more information.

To exit, hit 8.

SouthWest Texas State University

Location: San Marcos, Texas US

To access from the Internet:

1. Type TELNET 147.26.10.11 through 147.26.10.15.
2. Enter SWTLIBRARY at the username prompt.

From THENET:

1. Type SET HOST NYSSA.
2. Enter SWTLIBRARY at the username prompt.

See "Using DRA Atlas" for more information.

To exit, hit CTRL-Z.

Staffordshire Polytechnic

Location: Stoke-on-Trent, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, enter UK.AC.STAFFS.LIB.

See "Using GEAC" system for more information.

To exit, type BYE.

Stanford University

Location: Stanford, CA US

To access:

1. Type TELNET FORSYTHETN.STANFORD.EDU.
2. At the Account? prompt, type socrates.
3. At the OK to proceed? prompt, type YES.

To exit, type END.

State Library of South Australia

Location: Adelaide, South Australia Australia

To access:

1. Type TELNET FERRARI.SLSA.SA.GOV.AU.
2. At the login prompt, type library.

See "Using INNOPAC" for more information.

To exit, type D on the main menu.

Stirling University

Location: Stirling, Scotland UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. At the hostname prompt, enter UK.AC.STIR.LIB.
4. At the Enter NRS host name prompt, enter library.
5. At the login prompt, enter janet.

See "Using Dynix" for more information.

To exit, type 11 on the main menu.

Strathclyde University

Location: Glasgow, Scotland UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. At the hostname prompt, enter UK.AC.STRATH.LIB.

See "Using GEAC" for more information.

To exit, type END.

SUNY-Albany

Location: Albany, New York US

To access:

1. Type TELNET LIBCAT.LIBRARY.ALBANY.EDU.
2. Press RETURN when connected.

See "Using GEAC" for more information.

To exit, type END.

SUNY-Binghamton

Location: Binghamton, New York US

To access:

1. Type TN3270 BINGVMB.CC.BINGHAMTON.EDU.
2. Press TAB twice.
3. At the COMMAND prompt, type DIAL VTAM.
4. Enter 1.

See "Using NOTIS" for instructions.

To exit, hit the TN3270 escape key.

SUNY-Brockport

Location: Brockport, New York US

To access:

1. Type TELNET ACSPR1.ACS.BROCKPORT.EDU.
2. At the login prompt, enter login.
3. At the User id prompt, enter library.
4. At the password prompt, enter drake.
5. Enter OF as location code.
6. Enter 2 (vt100) as terminal type.

See "Using Dynix" for more information.

To exit, choose 12 (logoff) from the main menu.

SUNY-Buffalo

Location: Buffalo, New York US

To access:

1. Type TELNET SNYBUFVB.CS.SNYBUF.EDU.
2. At the login prompt, enter library.
3. Select v for VT100.
4. Enter y to confirm.

See "Using INNOPAC" for more information.

To exit, select D on the main menu.

SUNY-Stony Brook

Location: Stony Brook, New York US

To access:

1. Type TN3270 CCVM.SUNYSB.EDU.
2. Press TAB twice.
3. At the COMMAND prompt, enter STARS.
4. At the CICS screen, hit RETURN.

or

1. Type TELNET TID.BNL.GOV.
2. At the Username prompt, enter BROOKHAVEN.
3. Select A from the main menu.
4. Press RETURN.
5. Press TAB twice.
6. At the COMMAND prompt, enter STARS.
7. At the CICS screen, hit RETURN.

See "Using NOTIS" for more information.

To exit from TELNET, hit CTRL-C and then type QUIT. Type Q from the BNL main menu. From TN3270, just hit the TN3270 escape key.

Stockholm University

Location: Stockholm, Sweden

To access:

1. Type TELNET FOG.TELE.SU.SE.
2. At the USERNAME prompt, enter SUB.
3. At Tryck nu SEND f|r att b|rja, enter 1 for English.

See "Using GEAC" for more information.

To exit, type END.

Surrey University

Location: Surrey, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. Enter UK.AC.SURR at the hostname prompt.
4. Type library at the login prompt.
5. Type surrey at the password prompt.
6. Type vt100 at the TERM= prompt.

To exit, hit X on the main menu.

Sussex University

Location: Sussex, England UK

To login:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, type janet.
3. At the hostname prompt, enter UK.AC.SUSX.LIB.

To exit, select L on the main menu.

Swedish Business University

Location: Helsinki, Finland

To access:

1. Type TELNET HANNA.SHH.FI.
2. At the MPE XL: prompt, enter HELLO YOURNAME,USER.CLAS01.
3. Select terminal type 4.
4. At the Anna kokoelma prompt, enter 100.
5. At the Anna uusi komento, help enter /LANG 1 for English.

See "Using VTLS" for more information.

To exit, type /QUIT.

Swedish University of Agriculture

Location: Uppsala, Sweden

To access:

1. Type TELNET UPNOD.SLU.SE.
2. At the "Enter Address" prompt, type lr.

3. At the "att" prompt, type lukas.
4. At the > prompt, type slubib.

To exit, hit the Telnet escape key.

Swinburne University of Technology

Location: Hawthorn, Victoria Australia

To access:

1. Type TELNET OLLIE.XX.SWIN.OZ.AU.
2. At the login prompt, type pacnet.
3. At the password prompt, hit RETURN.

See "Using DYNIX" for more information.

To exit, type 11 on the main menu.

Syracuse University and SUNY College of Environmental Science & Forestry

Location: Syracuse, New York US

To access:

1. Type TN3270 SUVM.ACS.SYR.EDU.
2. Hit TAB twice.
3. On the COMMAND line, type DIAL VTAM.
4. At the Enter Summit prompt, type SUMMIT.
5. Hit RETURN on the next screen.

or

1. Type TELNET ACSNET.SYR.EDU.
2. At the > prompt, type SUMMIT.
3. At the Enter Terminal Type prompt, type VT100.
4. At the Enter Summit prompt, type SUMMIT.
5. Hit RETURN on the next screen.

See "Using NOTIS" for more information.

To exit:

1. Type LOGOFF.
2. Type UNDIAL.

Tampere University

Location: Tampere, Finland

To access:

1. Type TELNET LAKKA.UTA.FI.
2. At the LAKKA> prompt, enter C HILLA.
3. At the MPE XL: prompt, enter HELLO YOURNAME.USER.CLAS01.

4. Select terminal type 4.
5. At the Anna kokoelma prompt, enter 100.
6. At the Anna uusi komento prompt, help enter /LANG 1 for English.

See "Using VTLS" for more information.

To exit, type /QUIT.

Technische Hochschule

Location: Sweden

To access:

1. Type TELNET KTHBIB.LIB.KTH.SE.
2. At the Username prompt, enter library.

See "Using Libertas" for more information.

To exit, hit the TELNET escape key.

Temple University

Location: Philadelphia, Pennsylvania US

To access:

1. Type TELNET LIBRARY.PALEY.TEMPLE.EDU.

See "Using GEAC" for more information.

To exit, type END.

Texas A&M

Location: College Station, Texas US

To access:

1. Type TN3270 TAMMVS1.TAMU.EDU.
2. At the Texas A&M Statewide Network screen, type NOTIS.
3. At the CICS screen, hit RETURN.

or

1. Type SET HOST VENUS from the THENET or TELNET VENUS.TAMU.EDU from any machine connected to the Internet.
2. At the Username: prompt, type VTAM.
3. At the Texas A&M Statewide Network screen, type NOTIS.
4. At the CICS screen, hit RETURN.

See "Using NOTIS" for more information.

To exit, hit CTRL-Z.

Texas Christian University

Location: Fort Worth, Texas US

To access:

1. Type TELNET LIB.IS.TCU.EDU from the Internet or type SET HOST CCVAX7 from THENET.
2. At the Username: prompt, type TCUCAT.

See "Using DRA Altas" for details.

To exit:

1. Hit CTRL-Z.
2. Select option 6 (exit) off the menu.

Texas Woman's University

Location: Denton, Texas US

To access:

1. Type SET HOST TWUV1 from THENET or TELNET TWU.THE.NET from the Internet.
2. At the Username: prompt, type IRIS.
3. Press RETURN several times when prompted to.

See "Using GEAC" for details.

To exit, hit CTRL-.

Thames Polytechnic

Location: London, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, type janet.
3. Enter UK.AC.THAMES.LIB at the hostname prompt.

See "Using BLCMP" for more information.

To exit, use the TELNET escape key.

Thomas Jefferson University

Location: Philadelphia, Pennsylvania US

To access:

1. Type TELNET JEFLIN.TJU.EDU.
2. At the Username prompt, type JEFFLINE.

To exit, type E on the main menu.

Tilburg University

Location: Tilburg, The Netherlands

To access:

1. Type TELNET KUBLIB.KUB.NL.
2. At the Username prompt, type KUBGIDS.
3. Hit the right arrow key twice to ENGLISH then hit ENTER.
4. Press ENTER again.
5. Type C for Catalog, then ENTER.

To exit, TAB to QUIT on the main menu.

Trent University

Location: Peterborough, Ontario CA

To access:

1. Type TELNET TRENTU.CA.
2. At the username prompt, type TOPCAT.

See "Using DRA Atlas" for more information.

To exit, type EX on the main menu.

Triangle Research Libraries

Location: North Carolina, US

The Triangle Research Libraries include Duke, North Carolina State University, and University of North Carolina.

To access:

1. Type TELNET LIBROT1.LIB.UNC.EDU.

To exit, use the TELNET escape key.

Tri-College

Location: Pennsylvania, US

The Tri-College libraries include Swarthmore, Bryn Mawr, and Haverford.

To access:

1. Type TELNET TRIPOD.BRYNMAWR.EDU.
2. At the login prompt, type library.
3. Select v for VT100.
4. Hit y to confirm.

See "Using INNOPAC" for more information.

To exit, hit Q on the main menu.

Trinity College, Dublin

Location: Dublin, IE

To access:

1. Type TELNET LIB1.TCD.IE.
2. At the login prompt, type opac.
3. Select 1 for vt100 emulation.

See "Using DYNIX" for more information.

To exit, enter 5 on the main menu.

Trinity University

Location: San Antonio, Texas US

To access:

1. Type TN3270 VM1.TUCC.TRINITY.EDU.
2. TAB twice to the COMMAND line.
3. Enter DIAL VTAM and press enter.
4. Under "application", type LIBRARY and press enter.

To exit, hit the TN3270 escape key.

TU-Graz

Location: Graz, Austria

To access:

1. Type TELNET FTUB.TU-GRAZ.AC.AT.
2. At the Username prompt, enter TUB.
3. Select 1 on the main menu.

To exit, hit 4 on the main menu.

Tufts University

Location: Boston, Massachusetts US

To access:

1. Type TELNET LIBRARY.TUFTS.EDU.
2. At the Username prompt, enter TULIPS.

See "Using DRA Altas" for more information.

To exit:

1. Hit CTRL-Z.
2. Type QUIT.

Uniformed Services University of the Health Sciences

Location: North America

To access:

1. Type TELNET 131.158.2.160.
2. At the login prompt, type catalog.
3. Select v for VT100.
4. Hit y to confirm.

See "Using INNOPAC" for more information.

To exit, hit D on the main menu.

United States Military Academy

Location: West Point, New York US

To access:

1. Type TELNET LIBRARY.USMA.EDU.

See "Using GEAC" for more information.

Note: Sometimes, difficult to connect to and system is slow.

To exit, use the TELNET escape key.

Universidad Autonoma de Barcelona

Location: Barcelona, Spain

To access:

1. Type TELNET BABEL.UAB.ES.
2. At the Entreu HELLO UAB.BAB prompt, type HELLO UAB.BAB.
3. Select 10 as terminal type.
4. For English, type /LANG 1.

See "Using VTLS" for more information.

To exit, type /quit.

Universidad de las Americas, Pueblas

Location: Pueblas, Mexico

To access:

1. Type TELNET BIBES.PUE.UDLAP.MX.
2. At the username prompt, type LIBRARY.

To exit, hit the TELNET escape key.

Universitaet des Saarlandes

Location: Saarbrucken, Germany

To access:

1. Type TELNET UNISB.RZ.UNI-SB.DE.
2. At the / prompt, type .a logon ub,ub.

This catalog is in German only.

To exit, type 0.

Universitaetsbibliothek Erlangen-Nuernberg

Location: Erlangen, Germany

To access:

1. Type TELNET FAUI43.INFORMATIK.UNI-ERLANGEN.DE.
2. At the login prompt, enter gi.
3. At TERM=, type vt100.

To exit, hit the TELNET escape key.

Universitaet Heidelberg

Location: Heidelberg, Germany

To access:

1. Type TN3270 VM.URZ.UNI-HEIDELBERG.DE.
2. On the VM/SP screen, hit TAB twice.
3. Type D VTAM on the command line.
4. On the Bitte waehlen Sie screen, type cicsub.

To exit, hit the TN3270 escape key.

Universitat Jaume I

Location: Spain

To access:

1. Type TELNET VIOLANT-TELNET.UJI.ES.
2. At the MPE XL: prompt, type hello name,user.clas01.
3. Select 10 as terminal type.
4. Enter /LANG 1 for English.

See "Using VTLS" for more information.

To exit, type /QUIT.

Universitat Politecnica de Catalunya

Location: Barcelona, Spain

To access:

1. Type TELNET TAHAT.UPC.ES.
2. At the USERNAME prompt, type BIBLIOTECA and press enter twice.
3. At the prompt Biblioteca de la UPC, ENTREU HELLO LEIBNIZ.BIB:, type HELLO LEIBNIZ.BIB.
4. Enter 10 for terminal type.
5. At the prompt Entreu el Codi de Localitzaci. Si sou USUARI EXTERN entreu 100, type 100.
6. For English, type /LANG 1.

See "Using VTLS" for more information.

To exit, type /QUIT.

Universite de Sherbrooke

Location: Sherbrooke, Quebec Canada

To access:

1. Type TELNET CATALO.BIBLIO.USHERB.CA.
2. At the login prompt, enter bg.

See "Using MultiLIS" for more information.

To exit, hit the TELNET escape key.

Universiteit Twente

Location: Enschede, The Netherlands

To access:

1. Type TELNET UTBIB1.UTWENTE.NL.
2. At the Usernummer prompt, type 2611.
3. At the Wachtwoord prompt, type student.

To exit, hit the TELNET escape key.

University College Cork

Location: Cork, Ireland

To access:

1. Type TELNET VAX1.UCC.IE.
2. At the Userid prompt, enter LIBRARY and wait a few seconds.

See "Using DOBIS/LIBIS" for more information.

To exit, press CTRL-X.

University College Dublin

Location: Dublin, Ireland

To access:

1. Type TELNET PACX.UCD.IE.
2. At the which service prompt, enter LIBRARY.
3. Hit RETURN.

To exit, type E.

University College of Swansea

Location: Swansea, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. Enter UK.AC.SWAN.LIBVAX at the hostname prompt.
4. At the username prompt, enter LIBRARY.

See "Using Libertas" for more information.

To exit, type EXIT.

University of Adelaide

Location: Adelaide, SA Australia

To access:

1. Type TELNET LIBRARY.ADELAIDE.EDU.AU.
2. At the login prompt, enter bslnet.

See "Using Dynix" for more information.

To exit, type 11.

University of Akron

Location: Akron, Ohio US

To access:

1. Type TELNET LIBRARY.UAKRON.EDU.
2. At the colon prompt, enter the HELLO USER.CLAS01.
3. At the prompt "Enter line number of the TERMINAL TYPE", the number 5 is the best first choice.
5. If the "Enter Location Code" prompt appears after the system banner, enter the 0100 code to access the BIERCE library online catalog.

To exit, use the TELNET escape key.

University of Alabama

Location: Tuscaloosa, Alabama US

To access:

1. Type TN3270 UA2MVS.UA.EDU.
2. Logon as library.
3. Hit RETURN on the next screen.

See "Using NOTIS" for more information.

To exit, type EXIT.

University of Alabama, Birmingham Lister Hill Health Sciences Library

Location: Birmingham, Alabama US

To access:

1. Type TELNET LHHOST2.LHL.UAB.EDU.
2. At the login prompt, enter lpub.

See "Using DYNIX" for more information.

To exit, hit the TELNET escape key.

University of Alabama, Huntsville

Location: Huntsville, Alabama US

To access:

1. Type TELNET LIBRARY.UAH.EDU.
2. At the > prompt, type HE for help.

See "Using PALS" for more information.

To exit, hit the TELNET escape key.

University of Antwerp

Location: Antwerp, Belguim

To access:

1. Type TELNET MAIN.BIB.UIA.AC.BE.
2. Hit RETURN on the main menu for OPAC.
3. Select E for English.

To exit, hit X.

University of Arizona

Location: Tucson, Arizona US

To access:

1. Type TELNET SABIO.ARIZONA.EDU.
2. Enter sabio at the login prompt.

See "Using INNOPAC" for more information.

To exit, type E on the main menu.

University of Aukland

Location: Aukland, New Zealand

To access:

1. Type TELNET CCVCOM.AUKUNI.AC.NZ.
2. At the Username, enter AUCAT.

See "Using NOTIS" for more information.

To exit, hit the Telnet escape key.

Univeristy of Birmingham

Location: Birmingham, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, enter UK.AC.BHAM.LIB.

See "Using BLCMP" for more information.

To exit, type E on the main menu.

University of Bristol

Location: Bristol, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, type janet.
3. At the hostname prompt, type uk.ac.bris.lib.
4. At the Username prompt, type LIBRARY.
5. Select 1 for VT100 terminal emulation.

See "Using LIBERTAS" for more information.

To exit, type EXIT at any LIBERTAS menu.

University of British Columbia

Location: Vancouver, British Columbia, Canada

Requires id and password from the university.

To access:

1. Type TELNET LIBRARY.UBC.CA or TN3270 LIBRARY.UBC.CA.

University of Buffalo

Location: Buffalo, New York US

To access:

1. Type TELNET BISON.CC.BUFFALO.EDU.
2. At the terminal type prompt, enter VT100.
3. Hit RETURN.

See "Using NOTIS" for more information.

To exit, type BYE.

University of Calgary

Location: Calgary, Alberta CA

To access:

1. Type TELNET DEVELNET.UCALGARY.CA.
2. At the Request: prompt, type LIBRARY.
3. Select 0C as your brand of terminal.
4. When the screen blanks, hit RETURN.
5. Hit RETURN on the University of Calgary screen.

To exit, use the TELNET escape key.

University of California and California State Library at Sacramento

Location: Oakland, California US

The library system is known as the MELVYL system. The MELVYL system contains library information for all universities in the University of California system, the California State Library at Sacramento library, and the serials of the California State University system.

To access:

1. Type TELNET MELVYL.UCOP.EDU.
2. When asked for terminal type, enter VT100.
3. Press RETURN when prompted to.
4. Type START LOOK for easy to use library system.
   - or -
   Type START COM for command line library system.

To exit:

1. Type END or STOP.
2. Type LOGOFF.

University of California at Berkeley

Location: Berkeley, California US

To access:

1. Type TELNET GOPAC.BERKELEY.EDU.

To exit, type LOGOFF.

University of California at Irvine

Location: Irvine, California US

To access:

1. Type TELNET ANTPAC.LIB.UCI.EDU.
2. At the login prompt, type library.

See "Using INNOPAC" for more information.

To exit, hit C on the main menu.

University of California NRLF

Location: Richmond, California US

NRLF is the Northern Regional Library Facility, which is a cooperative library storage facility. Current depositers include UC Berkeley, Davis, San Francisco, Santa Cruz, and the California State Library.

To access:

1. Type TELNET 128.48.48.14.
2. At the login prompt, type library.
3. Select v for VT100.
4. Hit y to confirm.

See "Using INNOPAC" for more information.

To exit, hit D on the main menu.

University of California at San Diego

Location: San Diego, California US

To access:

1. Type TELNET LIBRARY.UCSD.EDU.
2. At the login prompt, type library.
3. Select V for VT100.
4. Hit ENTER when The Library is highlighted.
5. Hit ENTER on the Library menu screen.

See "Using Innopac" for more information.

To exit:

1. Type Q on Library menu.
2. Move cursor to QUIT and hit Enter.

University of California at San Francisco

Location: San Francisco, California US

To access:

1. Type TELNET UCSFCAT.LIB.UCSF.EDU.
2. At the login prompt, type ucsfcat.
3. Enter v for VT100.
4. Enter y to confirm.

See "Using INNOPAC" for more information.

To exit, type D.

University of California, Santa Barbara

Location: Santa Barbara, California US

To access:

1. Type TN3270 CCNH.UCSB.EDU.
2. At the Host Application ID prompt, enter a05cics1.
3. Hit ENTER on the Pegasus screen.

See "Using NOTIS" for more information.

To exit, type STOP.

University of Canberra

Location: Belconnen, ACT Australia

To access:

1. Type TELNET LIBRARY.CANBERRA.EDU.AU.
2. At the logon prompt, enter UCLID.

See "Using URICA" for more information.

To exit:

1. Type . RETURN from the main menu.
2. Type OFF.

University of Canterbury

Location: Christchurch, New Zealand

To access:

1. Type TELNET CANTVA.CANTERBURY.AC.NZ.
2. At the Username: prompt, type OPAC.
3. When the CONNECTED message appears, hit RETURN.

See "Using URICA" for more information.

To exit, type QUIT at the main menu.

University of Central England

Location: England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, type janet.
3. At the hostname prompt, type UK.AC.UCE.LIB.

To exit, type E on the main menu.

University of Central Lancashire

Location: England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, type janet.
3. At the Hostname prompt, type UK.AC.LANCSP.LIB.

See "Using GEAC" for more information.

To exit, type END.

University of Chicago

Location: Chicago, Illinois US

To access:

1. Type TELNET OLORIN.UCHICAGO.EDU from any host connected to the Internet.
2. At the ENTER CLASS prompt, type lib48.
3. When CONNECTED appears on the screen, press RETURN.

To exit, type LOGOUT.

University of Cincinnati

Location: Cincinnati, Ohio US

To access:

1. Type TELNET UCOLK3.OLK.UC.EDU.
3. At the login prompt, type uclid.

See "Using INNOPAC" for more information.

To exit, use the TELNET escape key.

University of Colorado at Colorado Springs

Location: Colorado Springs, Colorado US

To access:

1. Type TELNET ARLO.COLORADO.EDU.
2. When prompted for login code, enter ARLO.
3. At the logo screen, hit RETURN.

To exit:

1. Pick option 12 on the menu.
2. Use the TELNET escape key.

University of Dayton

Location: Dayton, Ohio US

To access:

1. Type TELNET UDAPRL.OCA.UDAYTON.EDU.
2. At the OK, prompt, type LOGIN PUB02.
3. Enter PUBLIC as the password.
4. When prompted for terminal type, select 2 for VT100.

See "Using Dynix" for more information.

To exit, select the option from the menu or type Q.

University of Delaware

Location: Newark, Delaware US

To access:

1. Type TELNET DELCAT.UDEL.EDU from any host connected to the Internet.
2. Press RETURN.
3. At TERMINAL TYPE prompt, type VT100.
4. Press RETURN.

See "Using NOTIS" for more information.

To exit, type EXIT.

University of East Anglia

Location: Norwich, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login propmt.
3. At the hostname prompt, enter uk.ac.uea.info.
4. At the Username prompt, enter INFO.

See "Using CATS" for more details.

To exit, type EXIT.

University of Georgia and Georgia College

Location: Georgia US

To access:

1. Type TN3270 UGA.CC.UGA.EDU.
2. Hit TAB twice.
3. Type DIAL VTAM on the command line.
4. On the IBM Systems menu, type L.
5. Hit RETURN on the next menu.

or

1. Type TELNET GSVM2.CC.GASOU.EDU.
2. At the Username: prompt, type info.
3. Select 3 from menu.
4. Enter vt100 for terminal type.
5. Select L for library.

To exit:

1. Type QUIT.
2. On the IBM Systems menu, type X.

University of Gothenburg

Location: Gothenburg, Sweden

To access:

1. Type TELNET GUNDA.UB.GU.SE.
2. Type /LANG 1 for English.

See "Using VTLS" for more information.

To exit, hit the TELNET escape key.

University of Groningen

Location: Groningen, The Netherlands

To access:

1. Type TELNET 129.125.19.10.
2. At the Username: prompt, type OPC.

To exit, type STP.

University of Hawaii

Location: Honolulu, Hawaii US

To access:

1. Type TELNET STARMASTER.UHCC.HAWAII.EDU.

2. At the Enter Class prompt, type LIB.
3. At the terminal type menu, select 5 for VT100.

To exit, type //EXIT.

University of Hertfordshire

Location: England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the Enter Hostname prompt, type UK.AC.HERTS.LIBVAX.
4. At the Username prompt, enter the campus you want. Either HATFIELD, WALLHALL, or HERTFORD.
5. For VT100, select 1 as your terminal model.

See "Using Libertas" for more information.

To exit, type EXIT.

University of Houston

Location: Houston, Texas US

To access:

1. Type TELNET UHOPAC.LIB.UH.EDU.

See "Using GEAC" for more information.

To exit, type END.

University of Iceland

Location: Reykjavik, Iceland

To access:

1. Type TELNET SAGA.RHI.HI.IS.
2. At the Username prompt, enter BOKASAFN.
3. Select 4 for the language code.
4. Select 1 for English.

See "Using Libertas" for more information.

To exit, type QUIT.

University of Illinois at Chicago

Location: Chicago, Illinois US

To access:

1. Type TN3270 UICVM.UIC.EDU.
2. When signon screen appears, hit RETURN.
3. Type DIAL PVM.
4. Move the cursor on the first S of "S NOTIS" by using the TAB or arrow keys.
5. Press RETURN.

See "Using NOTIS" for instructions.

To exit:

1. Type ####.
2. Press CTRL-P 1.

University of Illinois at Urbana/Champaign

Location: Urbana/Champaign, Illinois US

To access:

1. Type TELNET GARCON.CSO.UIUC.EDU 620.

or

1. Type TELNET GARCON.CSO.UIUC.EDU.
2. Enter LCS at the username prompt.

To exit, type EXIT.

University of Iowa

Location: Iowa City, Iowa US

To access:

1. Type TN3270 UIDPJES2.ADP.UIOWA.EDU.
2. Choose option 1 on the menu, OASIS.

or

1. Type TELNET OASIS.UIOWA.EDU.
2. At the terminal type prompt, enter VT100.
3. Choose option 1 on the menu, OASIS.

See "Using NOTIS" for more information.

To exit, type X on the main menu.

University of Kansas

Location: Lawrence, Kansas US

To access:

1. Type TELNET KUHUB.CC.UKANS.EDU.
2. At the username prompt, type RELAY.
3. At the SYSTEM? prompt, type OCAT.
4. At the ENTER TERMINAL TYPE prompt, type VT100K.
5. On the CICS screen, type OCAT.

To exit:

1. Type LOGOFF.
2. Type Q.

University of Karlsruhe

Location: Karlsruhe, Germany

To access:

1. Type TN3270 IBM3090.RZ.UNI-KARLSRUHE.DE.
2. Hit RETURN.
3. At the enter userid prompt, enter OPAC.
4. Hit RETURN.

Note: some TN3270 packages do not want to connect to Karlsruhe. To work around this problem simply set the rwin parameter in your TCP configuration to 512. If you do not know how to do this, contact your system manager.

or

1. Type TELNET NZ20.RZ.UNI-KARLSRUHE.DE.
2. Select 1 from the menu.
3. Press RETURN to select the default application.
4. At the enter userid prompt, enter OPAC.
5. Hit RETURN.

To exit, hit the TN3270 or Telnet escape key.

University of Kent

Location: Canterbury, Kent UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. Enter uk.ac.ukc.iris at the hostname prompt.
4. At the Username prompt, enter UKCLIB.
5. Enter UKCLIB as the password.

See "Using CATS" for more information.

To exit, hit Q.

University of Kentucky

Location: Lexington, Kentucky US

To access:

1. Type TN3270 UKCC.UKY.EDU.
2. Hit TAB twice to get to the command line.
3. Enter DIAL VTAM.
4. Enter L when prompted.
5. Enter 4 for application.
6. Press RETURN when prompted.

To exit, hit the TN3270 escape key.

University of Konstanz

Location: Konstanz, Germany

To access:

1. Type TELNET POLYDOS.UNI-KONSTANZ.DE 775.

The user interface is in German.

To exit, type ENDE.

University of Leeds

Location: Leeds, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. Enter uk.ac.leeds.lib at the hostname prompt for the Main Library.
   Enter uk.ac.leeds.libcat for the Medical and Dental Library.
4. Main library only: At the Enter Called Address prompt, type LIB.

See "Using Geac" for more information.

To exit, type E.

University of Lethbridge

Location: Lethbridge, Alberta Canada

To access:

1. Type TELNET 142.66.6.10.
2. At the login prompt, type library.

See "Using INNOPAC" for more information.

To exit, hit B on the main menu.

University of London Serials Database

Location: London, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.

2. At the login prompt, type janet.
3. At the hostname prompt, type uk.ac.lon.flcs.
4. At the Username prompt, type LIBRARY.
5. Select 1 for VT100.

See "Using LIBERTAS" for more information.

To exit, type EXIT.

University of Lowell

Location: Lowell, Massachussetts US

To access:

1. Type TELNET LIBVAX.ULOWELL.EDU.
2. At the username prompt, enter LIBRARY.
3. On the welcome screen, type PAC.

Note: At times, difficult to connect to.

To exit, type BYE.

University of Miami Medical Library

Location: Miami, Florida US

To access:

1. Type TELNET CALLCAT.MED.MIAMI.EDU.
2. At the login prompt, type library.

See "Using INNOPAC" for more information.

To exit, hit D on the main menu.

University of Maine System

Location: Orono, Maine US

The system includes University of Maine, University of Southern Maine, University of Maine at Augusta, University of Maine at Farmington, University of Maine at Presque Island, University of Maine at Fort Kent, University of Maine at Machias, University of Maine School of Law, Maine State Library, Maine State Law and Legislative Reference Library, and Bangor Public Library.

To access:

1. Type TELNET URSUS.MAINE.EDU.
2. Login in as ursus.
3. Enter y for VT100.

4. Enter y to confirm.

See "Using INNOPAC" .

To exit, type B.

University of Manchester Institute of Science and Technology

Location: Manchester, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. Enter UK.AC.UMIST.CN.PA at the hostname prompt.
4. Type LOGIN LIBRARY.
5. Enter LIBRARY as the password.
6. When asked for terminal type, enter VT.
7. Press RETURN twice.

To exit, type 9.

University of Manitoba

Location: Winnipeg, Manitoba, Canada

To access:

1. Type TELNET UMOPAC.UMANITOBA.CA.
2. At the UML=> prompt, type BE.

See "Using PALS" for more information.

To exit, type $$SOFF.

University of Maryland

Location: College Park, Maryland US

This system's coverage includes the University of Maryland System, University of Maryland Law Library, University of Maryland Baltimore County, University of Maryland College Park, University of Maryland Eastern Shore, and University of Maryland University College.

To access:

1. Type TELNET VICTOR.UMD.EDU.
2. Select PAC from the Available Services Menu.
3. Select 5 for VT100.
4. Press RETURN twice.

To exit, type //EXIT.

University of Massachusetts, Boston

Location: Boston, Massachusetts US

To access:

1. Type TELNET LIBRA.CC.UMB.EDU.
2. At the username: prompt, enter CATALOG.
3. Select your terminal type, enter 1 for VT100.

To exit, type EXIT, END, or QUIT.

University of Massachusetts, Dartmouth

Location: Dartmouth, Massachusetts US

To access:

1. Type TELNET LIBRARY.UMASSD.EDU.
2. At the USERNAME prompt, type LIBRARY.

See "Using MULTILIS" for more information.

To exit, hit the TELNET escape key.

University of Medicine and Dentistry of New Jersey

Location: Newark, New Jersey US

To access:

1. Type TN3270 LIBRARY.UMDNJ.EDU.
2. At the username prompt, enter LIBRARY.
3. At the Enter your last name propmt, do so.
4. At the Selection prompt, enter OC (in uppercase).

To exit:

1. Hit CTRL-Z.
2. At the Selection prompt, enter QU.

University of Melbourne

Location: Parkville, VIC Australia

To access:

1. Type TELNET LIBRARY.UNIMELB.EDU.AU.

To exit, hit CTRL-X.

University of Miami

Location: Miami, Florida US

To access:

1. Type TELNET STACKS.LIBRARY.MIAMI.EDU.
2. Enter library at login prompt.
3. Select v for VT100.
4. Enter y to confirm.

See "Using INNOPAC" for more information.

To exit, type QUIT.

University of Michigan

Location: Ann Arbor, Michigan US

To access:

1. Type TELNET HERMES.MERIT.EDU from any host connected to the Internet.
2. At the HOST? prompt, enter MIRLYN.
3. At the terminal type prompt, type VT100.
4. On the UofM screen, press RETURN.

See "Using NOTIS" for instructions.

To exit, hit the TELNET escape key.

Kresge Business Adminstration Library

To access:

1. Type TELNET LIB.BUS.UMICH.EDU.
2. At the login prompt, type mentor.

See "Using INNOPAC" for more information.

To exit, hit D on the main menu.

Law School

To access:

1. Type TELNET LEXCALIBUR.LIB.LAW.UMICH.EDU.
2. At the login: prompt, type um-lex.
3. Enter v for VT100.
4. Enter y to confirm.

See "Using INNOPAC" for more information.

To exit, type D at the main menu.

University of Minnesota

Location: Twin Cities, Minnesota US

To access:

1. Type TELNET LUMINA.LIB.UMN.EDU.

2. When prompted for terminal type, enter 0 for VT100 emulation.
3. When prompted to do so, type PA.
4. On the Public Access Information Service screen, enter 1.

See "Using NOTIS" for usage instructions.

To exit, hit the TELNET escape key.

University of Mississippi

Location: University, Mississippi

To access:

1. Type TELNET LIB1.LIB.OLEMISS.EDU.
2. At the login prompt, enter olemiss.

See "Using CLSI" for more information.

To exit, hit the TELNET escape key.

University of Missouri

Location: Columbia, Missouri US

To access:

Hmm... Quit working...

1. Type TN3270 UMMVSB.UMSYSTEM.EDU.
2. The CL/GATEWAY Main Menu will appear. Move down and select the appropiate library system by hitting RETURN. The first item is a union catalog for the University of Missouri.

To exit:

1. Type #LOGOFF.
2. Use the TN3270 Escape Key.

University of Natal - Durban

Location: South Africa

To access:

1. Type TELNET LIBRARY.UND.AC.ZA.
2. At the Service Required prompt, enter library.
3. At the Login prompt, enter LIB.

See "Using URICA" for more information.

To exit, hit the Telnet escape key.

University of Nebraska

Location: Lincoln, Nebraska US

To access:

1. Type TELNET UNLLIB.UNL.EDU.
2. At the login: prompt, type library.
3. Select V for type of terminal.
4. Enter Y to confirm.

See "Using INNOPAC" for more details.

To exit, enter D.

University of Nebraska Kearney

Location: Kearney, Nebraska US

To access:

1. Type TELNET 144.216.1.5.
2. At the login prompt, enter library.

See "Using INNOPAC" for more information.

To exit, type D on the main menu.

University of Nebraska Medical Center

Location: Omaha, Nebraska US

To access:

1. Type TELNET LIBRARY.UNMC.EDU.

To exit, hit the Telnet escape key.

University of Nebraska Omaha

Location: Omaha, Nebraska US

To access:

1. Type TELNET GENISYS.UNOMAHA.EDU.
2. At the login prompt, enter genisys.

See "Using INNOPAC" for more information.

To exit, type D on the main menu.

University of Newcastle

Location: Newcastle, New South Wales, Australia

To access:

1. Type TELNET LIBRARY.NEWCASTLE.EDU.AU.
2. At the username prompt, type ALLEYCAT.

To exit, type 0.

University of New Brunswick

Location: Fredericton, New Brunswick, Canada

To access:

1. Type TN3270 UNBMVS1.CSD.UNB.CA.
2. Choose option 8 (Phoenix) on the menu.

To exit, use the TN3270 escape key.

University of New England

Location: Armidale, New South Wales, Australia

To access:

1. Type TELNET OPAC.UNE.OZ.AU.
2. When connected, type PAC.

See "Using VTLS" appendix for more details.

To exit, use the TELNET escape key.

University of New Mexico

Location: Albuquerque, New Mexico US

To access:

1. Type TELNET TOME.UNM.EDU.
2. At the login prompt, enter library.
3. Select v for VT100.
4. Hit y to confirm.

See "Using INNOPAC" for more information.

To exit, hit D on the main menu.

Medical Center Library

To access:

1. Type TELNET BIBLIO.UNM.EDU.
2. At the login prompt, enter library.

See "Using INNOPAC" for more information.

To exit, type Q on the main menu.

Law School

To access:

1. Type TELNET LIBROS2.UNM.EDU.
2. At login prompt, enter library.
3. Press v.
4. Press y.

See "Using INNOPAC" for more information.

To exit, type D on the main menu.

University of New South Wales

Location: Kensington, New South Wales, Australia

To access:

1. Type TELNET LIBPRIME.LIBSYS.UNSW.OZ.AU.
2. Enter login libcat.

To exit, type /lo.

University of North Carolina, Asheville

Location: Asheville, North Carolina US

To access:

1. Type TELNET UNCAVX.UNCA.EDU.
2. At the Username prompt, type DHRAMSEY.

Note: there appear to be a limited number of users allowed and during peak hours you may get kicked out and told TRY AGAIN LATER.

To exit, type 9 at the main menu.

University of North Texas

Location: Denton, Texas US

To access:

1. Type TELNET LIBRARY.UNT.EDU.
2. Type HELLO USER.LIB when prompted to.

See "Using VTLS" for more information.

To exit, type /QUIT.

University of Northern Iowa

Location: Cedar Falls, Iowa US

To access:

1. Type TELNET STARMASTER.UNI.EDU.
2. Enter 1 at the choose service prompt.

3. Hit RETURN at one second intervals until it responds.
4. Enter v for vt100.
5. Enter y to confirm.

See "Using INNOPAC" for more information.

To exit, enter D.

University of Notre Dame

Location: Notre Dame, Indiana US

To access:

1. Type TELNET IRISHMVS.CC.ND.EDU.
2. At the ENTER COMMAND OR 'HELP': prompt, enter library.

See "Using NOTIS" for more information.

To exit:

1. Type x.
2. At the ENTER COMMAND OR 'HELP' prompt, type bye.

University of Odense

Location: Odense, Denmark

To access:

1. Type TELNET ODIN.BIB.DK.
2. At the "login:" prompt, type odin.
3. When you see the message "connected to oub9000", press ESCAPE.
4. At the "att" prompt, type odin.
5. At the > prompt, type odin.

To exit:

1. Type stop.
2. Press CTRL-D when prompted to.

University of Oklahoma

Location: Oklahoma City, Oklahoma US

To access:

1. Type TN3270 UOKMVSA.BACKBONE.UOKNOR.EDU.
2. Hit TAB three times.
3. Enter olin on the application id line.
4. Hit RETURN on the OLIN screen.
5. At the enter selection prompt, enter A.

See "Using NOTIS" for more information.

To exit:

1. Hit CTRL-Z.
2. Enter X at the enter selection prompt.

University of Oregon

Location: Eugene, Oregon US

To access:

1. Type TELNET JANUS.UOREGON.EDU.
2. Press <RETURN> several times.
3. At the login: prompt, enter janus.
4. When asked for terminal type, enter v.
5. Enter y to confirm.

See "Using INNOPAC" appendix for more details.

To exit, type x.

University of Otago

Location: Dunedin, New Zealand

To access:

1. Type TELNET LIBCAT.OTAGO.AC.NZ.
2. At the login prompt, enter libcat.

See "Using DYNIX" for more information.

To exit, type 12 on the main menu, then hit the Telnet escape key.

University of the Pacific

Location: US

To access:

1. Type TELNET PACIFICAT.LIB.UOP.EDU.
2. At the login prompt, enter library.

See "Using INNOPAC" for more information.

To exit, type D on the main menu.

University of Pennsylvania

Location: Philadelpha, Pennsylvania US

To access:

1. Type TELNET PENNLIB.UPENN.EDU.
2. Enter VT100 as terminal type.

See "Using NOTIS" for instructions.

To exit, hit the TELNET escape key.

Law School

To access:

1. Type TELNET LOLA.LAW.UPENN.EDU.
2. At the login: prompt, type lola.
3. Enter v for VT100.
4. Enter y to confirm.

See "Using INNOPAC" for more information.

To exit, type D on the main menu.

Medical

To access:

1. Type TELNET PENNINFO.UPENN.EDU 9010.

To exit, type QUIT.

University of Pittsburgh

Location: Pittsburgh, Pennsylvania US

To access:

1. Type TELNET GATE.CIS.PITT.EDU.
2. At the Service: prompt, type PITTCAT.
3. At the Select: prompt, type V100.

See "Using NOTIS" for more information.

To exit, hit CTRL-.

University of Plymouth

Location: Plymouth, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, type janet.
3. At the Hostname prompt, type uk.ac.plym.lib.
4. At the Username prompt, type LIBRARY.

See "Using Libertas" for more information.

To exit, type EXIT.

University of Pretoria

Location: Zaire

To access:

1. Type TELNET PREFECT.EE.UP.AC.ZA.
2. At the login prompt, enter libis.

To exit, hit the telnet escape key.

University of Prince Edward Island

Location: Charlottetown, Prince Edward Island Canada

To access:

1. Type TELNET LIB.CS.UPEI.CA or TN3270 LIB.CS.UPEI.CA.
2. At the username prompt, enter bobcat.

See "Using DRA ATLAS" for more details.

To exit, hit CTRL-Z.

University of Puerto Rico

Location: Rio Piedras, Puetro Rico US

To access:

1. Type TELNET 136.145.2.10.
2. Hit TAB twice.
3. Type DIAL VTAM.
4. Enter NOTIS.
5. Press RETURN.
6. On the blank screen, type LUUP.

To exit, hit the TELNET escape key.

University of Queensland

Location: St. Lucia, Queensland Australia

To access:

1. Type TELNET LIBSYS.LIBRARY.UQ.OZ.AU.
2. Enter BE when prompted to.

See "Using PALS" for more information.

To exit, type END or BYE.

University of Rochester

Location: Rochester, New York US

To access:

1. Type TELNET UTD-TERMSERVER.CC.ROCHESTER.EDU.

2. Type CALL CHESTER.
3. Type CAT after CALL COMPLETED message.

See "Using GEAC" for more information.

To exit, use the TELNET escape key.

University of San Diego

Location: San Diego, California US

To access:

1. Type TELNET SALLY.ACUSD.EDU.
2. At the login: prompt, type library.

See "Using INNOPAC" for more information.

To exit, hit H on the main menu.

University of San Francisco

Location: San Francisco, California US

To access:

1. Type TELNET 138.202.29.1.
2. At the login prompt, type library.
3. Select v for VT100.
4. Hit y to confirm.

See "Using INNOPAC" for more information.

To exit, hit D on the main menu.

University of Santa Clara

Location: Santa Clara, California US

To access:

1. Type TELNET SCULIB.SCU.EDU.
2. At the login prompt, enter library.

See "Using INNOPAC" for more information.

To exit, hit the Telnet Escape key.

University of Saskatchewan

Location: Saskatoon, Saskatchewan Canada

To access:

1. Type TELNET SKLIB.USASK.CA.
2. At the Username prompt, type SONIA.

See "Using GEAC" for more information.

To exit, type END.

University of South Australia

Location: The Levels, South Australia, Australia

To access:

1. Type TELNET LIBRARY.UNISA.EDU.AU.
2. Enter OPAC at the login prompt.
3. Select 3 for VT100.
4. Select REMOTE.

See "Using Dynix" for more information.

To exit, type 10 on the main menu.

University of St. Thomas

Location: Twin Cities, Minnesota US

To access:

1. Type TELNET HOST.CLIC.EDU.
2. At the login prompt, enter tpac.

See "Using Dynix" for more information.

To exit, type OFF.

University of Sunderland

Location: Sunderland, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, enter uk.ac.sundp.span.
4. At the SERVICE prompt, enter library.

See "Using LS/2000" for more information.

To exit, type /exit.

University of Sydney

Location: Sydney, New South Wales Australia

To access:

1. Type TELNET LIB2.FISHER.SU.OZ.AU.
2. At the OK prompt, type login.
3. At the userid prompt, enter library2.
4. At the password prompt, press RETURN.
5. At the Welcome screen press RETURN.

To exit, type /lo.

University of Tasmania

Location: Hobart, Tasmania, Australia

To access:

1. Type TELNET LIBRARY.UTAS.EDU.AU.
2. At the "Library Terminal Server: Type HELP to get command list" prompt, hit RETURN.

To exit, type OFF on the main menu.

University of Technology, Sydney

Location: Sydney, New South Wales, Australia

To access:

1. Type TELNET OPAC.CLANN.EDU.AU.
2. Press RETURN.
3. At the userid prompt, type UTS   L119 (this is uppercase with 3 spaces between UTS and L119).

See "Using GEAC" for more information.

To exit, type END.

University of Teesside

Location: Cleveland, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, type janet.
3. At the Hostname prompt, type UK.AC.TEES.LIB.
4. Type login library.
5. At the Password prompt, type library.

To exit, hit the TELNET ESCAPE key.

University of Tennessee at Knoxville

Location: Knoxville, Tennessee US

To access:

1. Type TELNET LIBRARY.UTK.EDU.

See "Using GEAC" for more information.

To exit, type END.

University of Tennessee at Memphis

Location: Memphis, Tennessee US

To access:

1. Type TELNET UTMEM1.UTMEM.EDU.
2. At the Username prompt, type HARVEY.

To exit, press RETURN on the main screen.

University of Texas at Arlington

Location: Arlington, Texas US

To access:

1. Type TELNET ADMIN.UTA.EDU.
2. As soon as you are connected, hit RETURN.
3. At the TERMINAL TYPE prompt, type VT100.
4. At the VTAM selection menu, type NOTIS.
5. At the CICS Logo Screen, press RETURN.
6. On the next screen, type LUUT.

See "Using NOTIS" for instructions.

To exit:

1. Hit Keypad ENTER followed by PF4.
2. Type LOGOFF.
3. Type LOGOFF again.

Please note that some terminal packages remap the keyboard. for example, in Procomm Keypad ENTER is SHIFT-F10 and PF4 is SHIFT-F2. Keypad ENTER is equivalent to ESC O M. PF4 is equivalent to ESC O S.

University of Texas at Austin

Location: Austin, Texas US

To access:

1. Type TELNET UTCAT.UTEXAS.EDU.
2. Press RETURN (maybe more than once).
3. At the GO prompt, press RETURN.
4. At the ENTER TERMINAL TYPE prompt, enter vt100.
5. Type UTCAT.

See "Using UTCAT" for more information.

To exit, type STOP.

University of Texas at Austin Tarlton Law Library

Location: Austin, Texas US

To access:

1. Type TELNET TALLONS.LAW.UTEXAS.EDU.
2. At the login prompt, enter library.
3. Press v.
4. Press y.

See "Using INNOPAC" for more information.

To exit, type D on the main menu.

University of Texas at Dallas

Location: Richardson, Texas US

To access:

1. Type TN3270 VM.UTDALLAS.EDU.
2. Hit ENTER to clear the login screen.
3. Type library to enter the library computer system.

or

1. Type TELNET IBM.UTDALLAS.EDU.
2. At the TERMINAL TYPE: prompt, type VT10X.
3. Hit ENTER to clear the login screen.
4. Type library to enter the library computer system.

See "Using NOTIS" for details.

To exit:

1. Type QUIT if using TN3270.
2. If TELNET is being used, hit the TELNET escape key.

University of Texas at Galveston

Location: Galveston, Texas US

To access:

1. Type TELNET IBM.GAL.UTEXAS.EDU.
2. Enter 0 for VT100.
3. Type 3 at the enter code prompt.
4. Hit return as the function code.

To exit, hit the TELNET escape key.

University of Texas Health Science Center at San Antonio

Location: San Antonio, Texas US

To access from the Internet:

1. Type TELNET ATHENA.UTHSCSA.EDU.
2. At the Username prompt, enter LIS.
3. Select 1 from the menu.

To access from THENET:

1. Type SET HOST ATHENA.
2. At the Username: prompt, type LIS.
3. Select 1 from the menu.

To exit:

1. Type EXIT.
2. Press RETURN.
3. Type QUIT.

University of Texas Health Science Center at Tyler

Location: Tyler, Texas US

To access from the Internet:

1. Type TELNET ATHENA.UTHSCSA.EDU.
2. At the Username prompt, enter LIS.
3. At the main menu, press 1.
4. Select 0 from the Library Catalogs menu.
5. Select 2 from the Change Location menu.

To access from THENET:

1. Type SET HOST ATHENA.
2. At the Username: prompt, type LIS.
3. Select 1 from the menu.
4. Select 1 from the menu.
5. Select 0 from the Library Catalogs menu.
6. Select 2 from the Change Location menu.

To exit:

1. Type EXIT.
2. Press RETURN.
3. Type QUIT.

University of Texas-Pan American

Location: Edinburg, Texas US

To access:

1. Type TELNET PANAM2.PANAM.EDU or SET HOST PANAM from any THENET node.
2. At the Username prompt, enter PACKEY.

See "Using DRA Altas" for more information.

To exit:

1. Hit CTRL-Z.
2. At the main menu, enter QUIT.

University of Texas Permian Basin

Location: Odessa, Texas US

To access:

1. Type SET HOST PBLIB from any THENET node.
2. At the Username: prompt, enter PACKEY.
3. Select option 1 (UTPB) off the menu.

See "Using DRA Altas" for more information.

To exit:

1. Hit CTRL-Z.
2. Select option 6 (logoff) off the menu.

University of Texas at San Antonio

Location: San Antonio, Texas US

To access:

1. Type TELNET UTSAIBM.UTSA.EDU.
2. At the TS> ! VT100,3278; prompt, hit RETURN.
3. At the UTSA screen, type library.

See "Using NOTIS" for more information.

To exit, type STOP.

University of Texas Southwestern Medical Center

Location: Dallas, Texas US

To access:

1. Type TELNET LIBRARY.SWMED.UTEXAS.EDU.
2. At the login prompt, enter medskul.
3. At the password prompt, enter library.
4. Hit RETURN on the next menu.
5. If the main menu looks wrong, hit CTRL-O.

To exit, hit the TELNET escape key.

University of Toledo

Location: Toledo, Ohio US

To access:

1. Type TN3270 UOFT01.UTOLEDO.EDU.
2. Press RETURN on UT logo screen.
3. When "enter one of the following commands..." appears, enter DIAL MVS.
4. When "dialed to mvs ####" appears, enter UTMOST.

See "Using NOTIS" for more information.

To exit, type DISC.

University of Toronto

Location: Toronto, Ontario, Canada

To access:

1. Type TELNET VAX.LIBRARY.UTORONTO.CA.
2. At the Username prompt, type UTLINK.

See "Using DRA Altas" for more information.

To exit, type 8 on the main menu.

University of Tulsa

Location: Tulsa, Oklahoma US

To access:

1. Type TELNET VAX2.UTULSA.EDU.
2. At the username prompt, enter LIAS.

To exit, type QUIT.

University of Ulster

Location: Londonderry, Northern Ireland, UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, enter UK.AC.ULST.LIB.

To exit, use the TELNET escape key.

University of Umea

Location: Umea, Sweden

To access:

1. Type TN3270 LIBUM.UMU.SE.
2. Hit RETURN.
3. Type DIAL VTAM.
4. Enter BIBLIO when prompted.

To exit:

1. Choose 5 off the menu.
2. Enter UNDIAL when prompted.

University of Uppsala

Location: Uppsala, Sweden

To access:

1. Type TELNET UDAC1.UDAC.UU.SE.

2. At the "Enter address" prompt, type DISA.
3. At the terminal type prompt, select 10.
4. At the "ANGE KOD FBIBLIOTEKSENHET/AVD" prompt, type 100.
5. Type /LANG 1 for English.

See "Using VTLS" for more information.

To exit, hit the TELNET ESCAPE key.

University of Utah

Location: Salt Lake City, Utah US

To access:

1. Type TN3270 LIB.UTAH.EDU.
2. Hit TAB to get to COMMAND line.
3. At the COMMAND line, type DIAL UNIS.

See "Using NOTIS" for details.

To exit, use the TELNET escape key.

Eccles Health Sciences Library

To access:

1. Type TELNET ECCLES.MED.UTAH.EDU.
2. At the Username prompt, type GUEST.
3. At the Kermit prompt, hit RETURN.
4. At the Select Destination prompt, type CAT96 and hit RETURN.
5. At the TERMINAL: VT100/ prompt, hit RETURN.

See "Using LS/2000" for more information.

To exit, hit the TELNET escape key.

University of Vermont

Location: Burlington, Vermont US

To access:

1. Type TELNET LUIS.UVM.EDU.
2. Hit RETURN.
3. Enter VT100 as terminal type.
4. Hit RETURN.

See "Using NOTIS" for more information.

To exit, type QUIT.

University of Victoria

Location: Victoria, British Columbia Canada

To access:

1. Type TN3270 UVVM.UVIC.CA.
2. At the VM/XA screen, hit RETURN.
3. Enter VICTOR.
4. Select MAIN for main library or LAW for law library.

See "Using NOTIS" for more information.

To exit, type STOP.

University of Virginia

Location: Charlottesville, Virginia US

To access:

1. Type TELNET UBLAN.ACC.VIRGINIA.EDU.
2. Press RETURN until >> prompt appears.
3. Type C VIRGO at the >> prompt.
4. Enter VT100 at the terminal type prompt.

See "Using NOTIS" for more information.
Note: I have had a problem with the cursor being in the wrong spot, but hitting TAB once seems to correct this problem.

To exit:

1. Use the stop command or % to back out of menus.
2. When you the >> prompt, use the TELNET escape key.

University of Virginia Law Library

Location: Charlottesville, Virginia US

To access:

1. Type TELNET UBLAN.ACC.VIRGINIA.EDU.
2. Press RETURN until >> prompt appears.
3. Type CONNECT LAW at >> prompt.
4. Enter v for VT100 terminal emulation.
5. Enter y to confirm.

See "Using INNOPAC" for more information.

To exit:

1. Enter D.
2. At the >> prompt, enter QUIT.

University of Wales, Aberystwyth

Location: Aberystwyth, Wales UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, type janet.
3. At the hostname prompt, type uk.ac.aberystwyth.library.
4. At the Username prompt, enter LIBRARY.
5. Enter 1 as the terminal model.

See "Using Libertas" for more information.

To logout, type EXIT.

University of Wales College of Cardiff

Location: Cardiff, Wales UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, enter UK.AC.CF.LIBY.
4. At the Username prompt, enter LIBRARY.
5. Enter 1 as the terminal model.

See "Using Libertas" for more information.

To exit, type EXIT.

University of Wales College of Medicine

Location: Cardiff, Wales UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. At the login prompt, enter janet.
3. At the hostname prompt, enter UK.AC.UWCM.LIB.
4. Type LOGIN OPAC.
5. Select 1 for VT100.

To exit, select L off the main menu.

University of Washington

Location: Seattle, Washington US

To access:

1. Type TELNET UWCAT.LIB.WASHINGTON.EDU.
2. Hit KEYPAD ENTER to go to the next page.

Note: you must use KEYPAD ENTER instead of RETURN for this system.

To exit, hit the TELNET escape key.

University of Waterloo

Location: Waterloo, Ontario, Canada

To access:

1. Type TELNET WATCAT.UWATERLOO.CA.
2. Hit RETURN.

See "Using GEAC" for more information.

To exit, type END.

University of Western Australia

Location: Nedlands, Western Australia, Australia

To access:

1. Type TELNET LIBRARY.UWA.OZ.AU.
2. At the Username prompt, enter library.
3. When prompted if you have a VT100 terminal, enter Y.

To exit, hit CTRL-D.

University of Western Ontario

Location: London, Ontario, Canada

To access:

1. Type TELNET GEAC.LIB.UWO.CA.
2. Hit RETURN three times (RETURN is the SEND key).

See "Using GEAC" for more information.

To exit:

1. Type END.
2. Hit CTRL-D.

University of Westminster

Location: London, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. At the hostname prompt, enter UK.AC.WMIN.LIB.
4. At the User prompt, type LIBRARY.
5. When prompted for terminal model, enter 1.

See "Using Libertas" for more information.

To exit, type EXIT.

University of Windsor

Location: Windsor, Ontario Canada

To access:

1. Type TELNET LIBRARY.UWINDSOR.CA.
2. Select 1 for Main library or 2 for law library.
3. Select vt100 terminal emulation.

See "Using NOTIS" for more information.

To exit, type STOP.

University of Wisconsin

Location: Madison/Milwaukee, Wisconsin US

To access:

1. Type TN3270 BLUE.ADP.WISC.EDU.
2. At the menu, TAB to the left of the NLS1 selection.
3. Push <RETURN>.
4. At the next prompt, just push <RETURN> for the Madison Catalog. for the Milwaukee catalog, type MIL and press <RETURN>.

or

1. Type TELNET NLS.ADP.WISC.EDU.
2. Hit <RETURN> when prompted for terminal type.
3. At the menu, TAB to the left of the NLS selection.
4. Push <RETURN>.
5. At the next prompt, just push <RETURN> for the Madison Catalog. for the Milwaukee catalog, type MIL and press <RETURN>.

or

1. Type TELNET LEGO.ADP.WISC.EDU (for Madison only).

To exit:

1. Type EXIT.
2. At the menu, TAB to the left of the QUIT selection.
3. Push <RETURN>.

University of Wisconsin Eau Claire

Location: Eau Claire, Wisconsin US

To access:

1. Type TELNET LIB.UWEC.EDU.
2. Press RETURN.
3. At the TERMINAL: VT100/ prompt, press RETURN.

See "Using LS/2000" for more information.

To exit, type /EXIT.

University of Wisconsin Green Bay

Location: Green Bay, Wisconsin US

To access:

1. Type TELNET GBLS2K.UWGB.EDU.
2. Press RETURN.

To exit, type /EXIT.

University of Wisconsin La Crosse

Location: La Crosse, Wisconsin US

Note: Accessing this system is very tricky. If you have problems with steps 3&4, contact your local support people. I will be unable to help any non-UNT users with this one.

To access:

1. Type TELNET LIBRARY.ACS.UWLAX.EDU.
2. At the Library_server prompt, enter LIB.
3. Wait for connection to start, then hit the Telnet escape key.
4. Type SEND BRK.
5. Select VT100 for terminal type.

See "Using LS/2000" for more information.

To exit, hit the TELNET escape key.

University of Wisconsin Oshkosh

Location: Oshkosh, Wisconsin US

To access:

1. Type TELNET POLK.CIS.UWOSH.EDU.
2. Hit RETURN.
3. At CONNECTED TO, hit RETURN.
4. At TERMINAL:, hit RETURN.

See "Using LS/2000" for more information.

To exit, type /exit.

University of Wisconsin Platteville

Loction: Platteville, Wisconsin US

To access:

1. Type TELNET 137.104.128.44.
2. At the TERMINAL: VT100/ prompt, hit RETURN.

See "Using LS/2000" for more information.

To exit, type /exit.

University of Wisconsin Stevens Point

Location: Stevens Point, Wisconsin US

To access:

1. Type TELNET LIB.UWSP.EDU.
2. At the login prompt, enter lib.
3. At the vDIAL prompt, type library.

See "Using LS/2000" for more information.

To exit:

1. Type /EXIT.
2. Hit CTRL-D at vDIAL prompt.

University of Wisconsin Stout

Location: Menomonie, Wisconsin US

To access:

1. Type TELNET LIB.UWSTOUT.EDU.
2. Accept vt100 terminal emulation.
3. Select 1 for Catalog.

See "Using LS/2000" for more infromation.

To exit:

1. Type /EXIT.
2. Type Q.

University of Wisconsin Superior

Location: Superior, Wisconsin US

To access:

1. Type TELNET SAIL.UWSUPER.EDU.
2. Press CTRL-SHIFT-2.
3. At PW, type WIE.
4. At ID, type LS2K.

To exit, hit the TELNET escape key.

University of Wollongong

Location: Wollongong, New South Wales, Australia

To access:

1. Type TELNET WOLFEN.CC.UOW.EDU.AU.
2. At the TELNET: prompt, type pals.

See "Using PALS" for more information.

To exit, use the Telnet escape key.

University of York

Location: York, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. At the hostname prompt, enter UK.AC.YORK.LIBRARY.
4. Select 1 for VT100.
5. Enter Y to the screen readability question.
6. Press RETURN.

See "Using Dynix" for more information.

To exit, type 10.

Utah Valley Community College

Location: Utah US

To access:

1. Type TELNET UVLIB.UVCC.EDU.
2. Enter opub at login prompt.
3. Enter 3 for VT100.
4. When asked if screen was readable, type y.

See "Using Dynix" for more information.

To exit, hit the TELNET escape key.

Utrecht University

Location: Utrecht, The Netherlands

To access:

1. Type TELNET RUUT.CC.RUU.NL.
2. At the Request: prompt, type brunet.
3. At the :::: prompt, hit RETURN.
4. Enter E for English or N for Dutch.

See "Using GEAC" for more information.

To exit, hit the Telnet escape key.

Valdosta State College

Location: Valdosta, Georgia US

1. Type TELNET 131.144.8.233.
2. At the Username prompt, type LIBRARY.

See "Using DRA" for more information.

To exit, type EXIT.

Vanderbilt University

Location: Nashville, Tennessee US

To access:

1. Type TELNET CTRVAX.VANDERBILT.EDU.
2. At the username prompt, enter ACORN.
3. Answer Y to the "are you ready to proceed?" question.
4. Press RETURN when "SysAvl Appl" appears on the screen.

See "Using NOTIS" for more information.

To exit, hit CTRL-Z.

Vaasan University

Location: Vaasa, Finland

To access:

1. Type TELNET KUSTAA.UWASA.FI.
2. At the MPE XL: prompt, enter HELLO YOURNAME,USER.CLAS01.
3. Select terminal type 4.
4. At the Anna kokoelma prompt, enter 100.
5. At the Anna uusi komento, help enter /LANG 1 for English.

See "Using VTLS" for more information.

To exit, type /QUIT.

Victoria University of Technology

Location: Melbourne, Victoria Australia

To access:

1. Type TELNET ZEBRA.VUT.EDU.AU.

2. At the login prompt, type library.

See "Using INNOPAC" for more information.

To exit, hit D on the main menu.

Victoria University of Wellington

Location: Wellington, New Zealand

To access:

1. Type TELNET LIBRARY.VUW.AC.NZ.
2. Press RETURN.
3. At the LOGON PLEASE prompt, enter OPAC.

See "Using Dynix" for more information.

To exit:

1. Pick Quit Search menu option.
2. Enter LATER.

Virginia Commonwealth University

Location: Richmond, Virginia US

To access:

1. Type TN3270 VCUVM1.UCC.VCU.EDU.
2. On the VM screen, hit RETURN.
3. Type DIAL VTAM.
4. Enter L on the VTAM screen.
5. Press ENTER when prompted to.

See "Using NOTIS" for usage instructions.

To exit:

1. Type D.
2. Hit CTRL-Z on the database selection menu.
3. When the screen blanks, type LOGOFF.
4. At the VTAM screen, type UNDIAL.

Virginia Military Institute

Location: Lexington, Virginia US

To access:

1. Type TELNET VAX.VMI.EDU.
2. At the Username prompt, type LIBRARY.
3. At the Password prompt, type LIBRARY.

See "Using DRA Atlas" for more information.

To exit, type CTRL-C.

Virginia Polytechnic & State University

Location: Blacksburg, Virginia US

To access:

1. Type TELNET VTLS.VT.EDU.
2. Hit RETURN once or twice.

See "Using VTLS" for more information.

To exit, hit the TELNET escape key.

Vrije Universiteit Amsterdam

Location: Amsterdam, The Netherlands

To access:

1. Type TELNET UBVUCAT.VU.NL.

To exit, hit the TELNET escape key.

Vjire Universiteit Brussel

Location: Brussels, Belgium

To access:

1. Type TELNET RC1.VUB.AC.BE.
2. Type vubis at the login prompt.

3. Select 1 for VT100.
4. Select E for English.

To exit, type X.

Wake Forest University

Location: Winston-Salem, North Carolina, US

To access:

1. Type TELNET LIB.WFUNET.WFU.EDU.
2. At the login prompt, type wake.
3. Select vt100 terminal emulation.

See "Using Dynix" for more information.

To exit, type 9 on the main menu.

Warwick University

Location: Coventry, England UK

To access:

1. Type TELNET SUN.NSF.AC.UK.
2. Enter janet at the login prompt.
3. Enter UK.AC.WARWICK.OPAC at the hostname prompt.
4. After connection is established, press RETURN.

See "Using BLCMP" for more information.

To exit, use the TELNET escape key.

Washington and Lee University

Location: Lexington, Virginia US

To access:

1. Type TELNET III.LIBRARY.WLU.EDU.
2. At the login prompt, type library.

See "Using INNOPAC" for more information.

To exit, enter D on the main menu.

Washington Research Library Consortium

Location: Washington DC, US

WRLC includes American University, Catholic University of America, University of DC, Gallaudet University, George Mason University, George Washington University, Georgetown University, and Marymount University.

To access:

1. Type TN3270 GMUIBM.GMU.EDU.
2. Type W at the Application Name prompt.

To exit, hit the TN3270 escape key.

Washington State University and Eastern Washington University

Location: Washington US

To access:

1. Type TN3270 WSUVM1.CSC.WSU.EDU.
2. Hit TAB twice.
3. Type DIAL VTAM.
4. Choose option COUGALOG.

or

1. Type TELNET JAGUAR.CSC.WSU.EDU.
2. At the Username prompt, enter COUGALOG.

To exit, hit the TN3270 or TELNET escape key.

Washington University-St. Louis

Location: St. Louis, Missouri US

To access:

1. Type TELNET WUGATE.WUSTL.EDU.
2. At the login: prompt, type LUIS.
3. Choose VT100 as the terminal type.
4. On the menu, choose option 1.

See "Using NOTIS" for usage instructions.

To exit, hit the TELNET escape key.

Washington University-St. Louis Medical Library & Members

Location: St. Louis, Missouri US

Members include Washington University Medical Library, Mallinckrodt Institute of Radiology, St. Louis Children's Hospital, Jewish Hospital Medical, Jewish Hospital School of Nursing, Barnes College, St. Mary's Health Center, St. John's Mercury Medical Center, and St. Louis College of Pharmacy.

To access:

1. Type TELNET MCFTCP.WUSTL.EDU.
2. At the PLEASE ENTER DESTINATION CODE prompt, type CATALOG.

To exit, hit the Telnet escape key.

Waterways Online Library

Location: Vicksburg, Mississippi

To access:

1. Type TELNET LIBRARY.WES.ARMY.MIL.
2. At the login prompt, type guest.
3. At the password prompt, type wolflib.

To exit, choose 4 on the main menu.

Weber State University

Location: Ogden, Utah US

To access:

1. Type TELNET LIB.WEBER.EDU.
2. At the login prompt, type pac.
3. Select 2 for VT100.
4. Answer Y when asked if the screen was readable.

See "Using DYNIX" for more information.

To exit, hit the TELNET ESCAPE key.

Wellesley College

Location: Wellesley, Massachussetts, US

To access:

1. Type TELNET LIBRARY.WELLESLEY.EDU.
2. At the login prompt, enter library.

See "Using INNOPAC" for more information.

To exit, type Q.

Wesleyan University, Connecticut College and Trinity College

Location: Connecticut, US

To access:

1. Type TELNET LIBRARY.WESLEYAN.EDU.
2. Type LUCT.

See "Using NOTIS" for more information.

To exit:

1. Type STOP.
2. Select B on the menu.

Western Michigan University

Location: Kalamazoo, Michigan US

To access:

1. Type TELNET HME4.MERIT.EDU.
2. At the which host prompt, enter WMU-FINDER.
3. Enter VT100 as terminal type.
4. Select 1.

See "Using NOTIS" for more information.

To exit:

1. Type X from the Finder menu.
2. Type X again.

Westminster College

Location: Salt Lake City, Utah US

To access:

1. Type TELNET LIBR.WCSLC.EDU.

2. At the login prompt, enter pac.
3. Select 3 for VT100.
4. Enter y when asked about the screen.

See "Using DYNIX" for more information.

To exit, hit the TELNET escape key.

West Virginia University

Location: Morgantown, West Virginia US

To access:

1. Type TN3270 WVNVM.WVNET.EDU.
2. TAB twice to the COMMAND line.
3. Type DIAL VTAM.
4. Hit ENTER at the WVNET screen.
5. Select Application 5.

or

1. Type TELNET E3270.WVNET.EDU.
2. At the Enter Terminal Type prompt, enter vt100.
3. Hit ENTER at the WVNet screen.
4. Select Application 5.

See "Using NOTIS" for more information.

To exit, type LOGOFF and then possibly UNDIAL.

Williamette University

Location: Salem OR, US

To access:

1. Type LIBRARY.WILLIAMETTE.EDU.
2. At the login prompt, type library.

See "Using INNOPAC" for more information.

To exit, type D on the main menu.

Williams College

Location: Williamstown, Massachussetts US

To access:

1. Type TELNET LIBRARY.WILLIAMS.EDU.
2. At the login prompt, enter library.

See "Using INNOPAC" for more information.

To exit, type Q.

WLN Library Database

Location: US

WLN is a commercial service that requires subscription. Contact (800) DIALWLN or info@wln.com for information.

To access:

1. Type TELNET WLN.COM.

To exit, unknown.

Wright State University

Location: Celina, Ohio US

To access:

1. Type TELNET WSUOL2.WRIGHT.EDU.
2. At the login prompt, enter libnet2.

To exit, type H.

Yale University

Location: New Haven, Connecticut US

To access:

1. Type TN3270 ORBIS.YALE.EDU.
2. Press RETURN.

or

1. Type TELNET UMPG.YCC.YALE.EDU 6520.
2. At the terminal type prompt, enter VT100.

To exit, use the TN3270 or TELNET escape key.

York University

Location: North York, Ontario Canada

To access:

1. Type TELNET YORKLINE.YORKU.CA.
2. At the ENTER TERM TYPE: prompt, enter VT100.
3. On the Yorkline screen, hit RETURN.

See "Using NOTIS" for more details.

To exit, type X.

Youngstown State University

Location: Youngstown, Ohio US

To access:

1. Type TELNET LIBRARY.YSU.EDU.
2. At the DTC01 prompt, enter C LIB1.
3. At the logon prompt, enter HELLO USER.CLAS01.

See "Using VTLS" for more details.

To exit, hit the TELNET escape key.

Zentralbibliothek Zurich

Location: Zurich, Switzerland

To access:

1. Type TELNET NUZ.UNIZH.CH.
2. Hit RETURN.
3. At the # prompt, enter CALL E100.
4. Hit RETURN.
5. If you do not get the choose language screen, type END.
   Otherwise, choose 1 for English.

See "Using GEAC" for more details.

Note: At times, difficult to connect to.

To exit, hit the TELNET escape key.

Author searches: To search for a particular author, use the a= search command followed by the author's name.

Example: a=Haley Alex

Subject searches: To search for a particular subject, use the s= search command followed by the subject.

Example: s=Stars

Title searches: To search for a particular title, use the t= search command followed by the title.

Example: t=Winds of War

Call Number search: To search for a particular call number, use the c= command.

Example: c=tr897.5

ISBN search: To search for a ISBN, use the i= command.

Example: i=1558511431

ISSN search: To search for a ISSN, use the n= command.

Example: n=0010-0285

LCCN search: To search for a LCCN, use the l= command.

Example: l=90012345

Music Publishers search: To search for a Music Publishers #, use the r= command.

Example: r=CD 80096 telarc

Keyword search: Type k. Some DRA sites use the Z39.58 standard for the keyword search. See the section on "Using Z39.58".

Help: Type ??.

Appendix B: Using BLCMP

BLCMP is an easy to use menu driven system.

Author Search: Select A off the menu. Then enter the author's name at the : prompt.

Title Search: Select T off the menu. Then enter the title at the : prompt.

Subject Search: Select S off of the menu. Enter the subject at the : prompt.

Keyword Search: Select K off the menu and enter the keyword at the : prompt.

Type H at any time for help.

Appendix C: Using BuCAT

Enter HELP at any time for help.

To search author, title, and subject indexes, enter FIND and any word or phrase, e.g.

find united nations

To restrict a search to a particular index, specify the index, e.g.

f s=united nations

You can combine words or phrases using symbols for the boolean operators "and" (symbols "&", "/") "or" (symbol "|"), and "not" (symbol "~"), for example,

find united nations & peace
f united nations / war

Note: This appendix written by Mr. Mitchell of Brandon University.

Appendix D: Using CATS

Describing CATS presents an interesting problem. Every CATS system has its own site specific menuing system that is different than every other CATS system. In addtion, all of them are extremely easy to use. for these reasons, no instructions are provided in this guide.

Appendix E: Using Dynix

The Dynix library package is an entirely different product from the Dynix Operating System that is used on Sequent Computer.

Title searches: If the exact title is known, select the "Title Alphabetical list" option on the menu. If the exact title is not known, select the "Title Words" option.

Author searches: Choose the appropriate number from the main menu.

Subject searches: Choose the appropriate number from the main menu.

Keyword searches: Choose the appropriate number from the main menu. Some systems will look for terms in the subject field, some in the title field, as indicated on the menu.

Call number search: Choose the appropriate number from the main menu.

Appendix F: Using GEAC

Title searches: To search for a particular title, use the TIL search command followed by the title.

Example: TIL Tao of Programming

Author searches: To search for a particular autho, use the AUT search command followed by the name of the author.

Example: AUT Clancy

Subject searches: To search for a particular subject, use the SUB search command followed by the subject.

Example: SUB Sidewalks

Keyword searches: To search for a particular keyword, use the KEY search command followed by a string.

Example: KEY Alligators

Call number search: To search for a paricular keyword, use the NUM search command followed by a call number.

Example: NUM lb110b64

Help: To see help, type HELP.

Previous Screen: To see previously displayed screens, type BAC.

Next Screen: The next screen is usually displayed by typing FOR.

Picking an item: On screens where a list of items appears, a particular item can be selected by typing the number to the right of item.

Appendix G: Using Inlex

Use the following instructions to search:

Title search ti=
Author search au=
Subject search su=
Call Number search ca=

To display titles, type dt=[line number].

HELP

For specific HELP, enter HE= and the desired command: HE=AU means Author help.

INSTRUCTIONAL COMMANDS, which can be used at any time, are:
HElp..........HE Bulletin Brd...BB EXit...........EX
INstructions...IN

SEARCH COMMANDS, used to initiate a specific search, are:
AUthor........AU SUbject........SU TItle..........TI CAll # search..CA

DISPLAY COMMANDS, used following a SEARCH command, are:
Disp Titles...DT Disp Call #....DC Next Page......NP Prev Page......PP
Step Back.....SB Disp Full Rec..DF First Page.....FP Last Page......LP

-----

for further HELP, enter HE=HE

HELP HELP

HELP: You can enter HE or HE=__ (specific command) at any time for assistance.

DISPLAYS: Upper - displays the information you requested in your last command

Middle - displays the most useful commands for your next step
Lower - displays search history and prompts you to enter a command

---

CURSOR ARROW: > points to the index entry which satisfies or most nearly matches the search request. This is usually positioned in the middle of the listing to allow browsing adjacent entries. When a line number other than the one indicated is chosen for display, the arrow relocates.

INVALID COMMAND: if a command entered is invalid or inappropriate at that place in a search, the system prompts again for the entry of a command.

TO PROCEED: enter RD to ReDisplay your previous place in Inlex.

Appendix H: Using INNOPAC

This software is also known as Innovative Interfaces. INNOPAC is easy to use. Just press the letter or number next to the item that you want. There is no need to press the ENTER or RETURN key when choosing one of the menu options.

Title searches: To search for a particular title, select T on the main menu.

Author searches: To search for a particular author, select A on the main menu.

Subject searches: To search for a particular subject, select S on the main menu.

Keyword searches: To search for a particular keyword, select k or w on the menu.

All the other commands vary from system to system.

Appendix I: Using Libertas

Describing Libertas presents an interesting problem. Every Libertas system has its own site specific menuing system that is different than every other Libertas system. In addtion, all of them are extremely easy to use. for these reasons, no instructions are provided in this guide.

Appendix J: Using LS/2000

The LS/2000 system offers two searching styles:

Keyword Use this style when you are unsure of the exact term, author, name, or title that you wish to search.

Enter a word or phrase and press RETURN.

Heading Use this style when you are sure of how the library describes the author, title, or subject that you are searching.

Enter the number of the search you want to use, and when prompted, enter as much of the BEGINNING of the heading as you are sure of.

HOW TO ENTER SEARCH TERMS

For a specific TOPIC

you are unsure of library terminology, enter a keyword you know.

you are certain of the library's subject heading: when prompted, enter the first word(s) of subject heading.

For an Author: when prompted, enter the author's name Last, First

For an Organization or Government Agency or Conference:
When prompted, enter the first word or words of the organization or conference name.

For a title: when prompted enter the first word or words of the title.

SEARCHING HINTS

Press RETURN after each entry. This lets LS/2000 know that you are ready for it to begin work.

Less is better than more. The system will always show you all entries that begin with what you enter. so if you enter "book" you will see any entries that begin with "Book" or "Books".

The "^" key will take you one step backwards in your search.

When a list ends with "more", you may:

Press RETURN to see the next part of the list.
Enter /B to see the previous list.

Appendix K: Using MultiLIS

MultiLIS is menu/prompt driven and is not difficult to use. Use the PF1 key to return to the previous menu/screen. Press the HELP key or KeyPad7 key for context-sensative help. Status and error messages are usually displayed in the lower right-hand corner of the screen. Press the RETURN key to acknowledge these messages.

Title searches: Type one or more words from the title.

MultiLIS will display an individual record (if only one record is found), or a list of titles.

Example: dead zone
pet sematar*
christine;

Author searches: Always type the author's last name first.

MultiLIS will display an individual record (if only one record is found) or an alphabetically arranged list of authors.

Example: king stephen
king, stephen
king s

Subject searches: Type one or more words which describe the subject.

Example: american horror tales
horror tales;

When searching by author, subject, organizations and conferences, series, uniform title, or publisher, MultiLIS will usually display a list of items which match your search. To see the TITLES listed, type the number or range of numbers. Note that once you have selected items from this display, you cannot return to this display without redoing the search.

Example: 1,5-8,12

To see the detailed RECORD for a title, type the number for the title you want.

Function Keys

Help: Help or KeyPad 7
New search or Exit: PF1
Previous screen or record: PF2
Next screen or record: PF3
Print record: PF4
Limit by date or language: PF5 or KeyPad 5
Display search history: PF2 or KeyPad 2 (at searching screen)

Appendix L: Using NOTIS

Title searches: To search for a particular title, use the t= search command followed by the title.

Example: t=foundation

Author searches: To search for a particular author, use the a= search command followed by the author's name.

Example: a=asimov

Subject searches: To search for a particular subject, use the s= search command followed by the subject.

Example: s=tennis

Keyword searches: To search for a particular keyword, use the k= search command followed by a string.

Example: k=cry wolf

You may use the logical operator (AND, OR, NOT) and parenthesis to group the operators. Also, $ is a wildcard character for 4.6 with BRS search. 5.0 sites with NOTISearch use ? instead.

Examples: k=car and fast
k=computer and not ibm
k=comp$ and (toy or game)

Call number search: Only available in version 5.0. Use the c= search command.

Example: c=rc493g543

Help: On most screens, help can be seen by the h command.

Picking an item: On screens where a list of items appears, a particular item can be selected by typing the number to the right of item.

Appendix M: Using OCLC

There are five different types of searches available:

Keyword (in subject headings and/or title), [Press K then RETURN]
Author/Title (either one or both), [Press A then RETURN]
Classmark, [Press C then RETURN]

LBN (Library Book Number), [Press L then RETURN]
ISBN [Press I then RETURN]

To leave this system at any stage, press the menu key (ESCAPE) and type Q followed by the RETURN key or its equivalent. If this is the first time you have used this system, please press the menu key and type H followed by RETURN for further information.

Appendix N: Using PALS

Many PALS systems are networked together with other PALS systems. The other systems may be searched using the SET HOST command (not to be confused with the VMS command of the same name). To get a list of the networked hosts available for searching, enter the command SHO HOSTS. By entering the command SET HOST HHH (where HHH is a remote host name), you will enter the remote system and set your search default to a specific institution or group symbol. This is done by using the command SET XLIB command. To get a list of institutions or symbols on a remote host, enter the command SHO HOST HHH (where HHH is the remote host name). Once in the remote host, searching is performed just as if you were in your own system.

Commands: SHO HOSTS get a list of remote hosts
SET HOST hhh begin searching in a remote host
SHO XLIBS get a list of all external libraries
SHO HOST hhh get list of libraries on host hhh
SET XLIB xxx begin searching remote library xxx
SET HOST LOCAL reset search to local host

Title search: Use the TI command followed by up to four title words.

Example: TI Foundation and Earth

Author search: Use the AU command followed by Last, First, and Middle name(s) with no punctuation.

Example: AU Donaldson Stephen

Combination search: Use the CO command followed by Author Lastname and Title Firstword.

Example: CO Cook Black

Subject search: Use the SU command followed by 4 word heading.

Example: SU New Guinea

Call number search: Use the CA command followed by the call number.

Example: CA QA76.8.I294 1988

Type HELP for help.

Appendix O: Using Unicorn

Unicorn uses some strange control keys to perform most of its functions.

Function	Key
Find	CTRL-F
Search	CTRL-G
Send	RETURN
Next Field	TAB
Help	CTRL-Z
Display	CTRL-A
Cut	CTRL-O
Paste	CTRL-P
Insert	CTRL-R
Delete	CTRL-T
Back 1 Screen	CTRL-E
Forward 1 Screen	CTRL-W
Cursor Left	CTRL-H

Cursor Right	CTRL-L
Cursor Up	CTRL-K
Cursor Down	CTRL-J

Appendix P: Using URICA

URICA is a menu-driven system and fairly easy to use. However there are a couple of things to note about the interface. First, to get help, hit the key. To exit from a menu and back up to the last menu, you use the . key.

Appendix Q: Using UTCAT

You should be at the UT Library Online Catalog -- Search Choices Menu. From this menu, you may type 1 or 2 letter search commands and the word(s) you want to search for. After your search command is typed in, hit the keypad ENTER key.

AUTHOR searches: To search for a particular author, you use the A (Author) search command followed by the author's name.

Example: a mowat, farley

To see the index of authors, you use the AI (Author Index) search command followed by the first author you wish to see.

Example: ai mowat, farley

TITLE searches: To search for a particular title, you use the T (Title) search command followed by the title of the book.

Example: t never cry wolf

To see the index of titles, you can use the TI (Title Index) search command followed by the first title you wish to see.

Example: ti never cry wolf

To search for certain keywords in a title, you can use the TK (Title Keyword) search command.

Example: tk wolf cry

SUBJECT searches: To search by subject, you can use the S (Subject) search command.

Example: s wolves

Also, from the Search Choices Menu, you can type 3 letter commands followed by Keypad Enter or their equivalent PF keys.

BACk (PF1) To page back and review up to 10 screens of results.
REPeat (PF2) To repeat the last search typed in.
INDex (PF3) To move from brief or full records to the corresponding index.
EXPlain (PF4) To view general information about the Online Catalog.
NEWs (PF5) To view current information about Online Catalog developments.
HELp (PF6) To see context sensitive help.
MENu (PF7) To move back to the Search Choices Menu.
STOp (PF8) To exit from the Online Catalog.
COMment Send comments to library staff.

Finally, if a list of items is on the screen, you can type the number of the item you wish to see.

Please note that some terminal packages remap the keypad ENTER key to other keys. For example, in Procomm the equivalent to Keypad ENTER is Shift-F10. Keypad ENTER is equivalent to ESC O M.

Appendix R: Using VTLS

Advanced User Search System:

Author searches: To search for a particular author, use the A/ search command followed by the author's name.

Example: A/Hemingway, Ernest

Title searches: To search for a particular title, use the T/ search command followed by the title. Omit any leading articles such as THE, A, AN, LA, ...

Example: T/Sun also rises

Subject searches: To search for a particular subject, use the S/ search command followed by the subject.

Example: S/Metals

Keyword searches: To search for a keyword, use the W/ search command followed by the subject.

Example: W/Computers

Boolean Keyword: To search for keywords with boolean operators, use the B/ search command followed by a keyword, then an operator, and then the second keyword.

Example: B/Ocean and Island
B/Dog or Cat

Help: To see help, type /HELP.

Previous Screen: To see previously displayed screens, type PS.

Next Screen: The next screen is usually displayed by typing NS.

Novice User Search System

The Novice User Search System can be accessed at any time by typing ?. This novice mode is an easy to use menu driven method of searching. In addition, the novice mode also offers training on using the Advanced User Search System. Advanced User Search System commands may be typed in at any novice level prompt.

Appendix S: Using Z39.58

Z39.58 is a standard from NISO known as the Common Command Language standard. I have just received the latest draft of the standard and will add to this section in the near future. Basic searches are in the form:

FIND <index name> <search terms>

The following are common index names:

au	author search
ti	title search
to	topic search (Dartmouth only)
su	subject search (Harvard only)

Examples:

```
FIND AU Twain
FIND TI Dune
FIND SU Space
```

The DISPLAY command will display the results.

Type HELP for help.

Appendix T: Accessing from JANET

Connect to uk.ac.nsfnet-relay (uk.ac.nsf.tn or 00004001018057). I think that the command PAD UK.AC.NSFNET-RELAY.TELNET. Once connected you will be prompted for the address of a host. Enter the Internet address (either name or numeric) at this point. If you need tn3270 access, when it asks you where you would like to telnet to say TN3270 and then specify your terminal type when prompted (probably vt100).

Appendix U: TELNET/TN3270 Escape Keys

System	Package	Escape Key(s)
MS-DOS	CUTCP	ALT-X
	KA9Q	F10
	MD-DOSIP	ALT-<space>
	NCSA TELNET	ALT-X
	PCIP	F10 Q Y
	PC/TCP	F10 c
	PC-NFS	F10
Macintosh	NCSA	Apple-K
VAX/VMS	CMU	CTRL-^ c
	Multinet TELNET	CTRL-^ q
	Multinet TN3270	CTRL-C q
	UCX	CTRL-]
	WIN/TCP TELNET	CTRL-] q
	WIN/TCP TN3270 (5.0/5.1)	CTRL-Y
	WIN/TCP TN3270 (5.2)	CTRL-Z q
Unix1	TELNET	CTRL-] q
	TN3270	CTRL-C q
CMS	TELNET	PF4
	TNVT100	PA1

Notes:

1. These keys should work on all BSD based systems such as the Solbourne. The System V Unix keys are unknown.

Appendix V: Bibliography/Other Resources

ALA/RASD MARS Direct Patron Access Committee, "Library Resources on the Internet:
Strategies for Selection and Use", American Library Association, August 1991.

Barron, Billy, "Another Use of the Internet: Libraries Online Catalogs", ConneXions, Volume 5,
No. 7 (July 1991), pages 15-19.

BBN Systems and Technologies Corporation, "Internet Resources Guide",
April 1991, Available for anonymous FTP on NNSC.NSF.NET.

Cambridge University Library, "Brief Guide to the On-line Catalogue",
December 1990.

Carrison, Dale K. "Minnesota State University System PALS Online Public Access Catalog".

Huston, Geoff, "Australian Academic and Research Network & Kawaihiko
Network Resource Guide", AARNET, Feb. 18th, 1991. Available for anonymous FTP on FTP.UNT.EDU.

Mahone, D, "LIBTEL program", University of New Mexico, March 1991.
Telnet front ends for VMS and MS-DOS. Available for anonymous FTP on FTP.UNT.EDU.

Sadler, John, "Canadian Internet Accessible Libraries", University of New Brunswick,
June, 1991.

Scott, Peter, "Hytelnet program", University of Saskatchewan, April 1991.
PC Hypertext database. Available for anonymous FTP on FTP.UNT.EDU.

St.George, Art and Ron Larsen, "Internet - Accessible Library Catalogs
& Databases", University of Maryland, University of New Mexico,
April 1991. Available via anonymous FTP on ARIEL.UNM.EDU.

St.Sauver, Joe, "The VAX Book", University of Oregon, 1989. Available
for anonymous FTP on DECOY.UOREGON.EDU.

University of London Computer Centre Networks Group, "The NSFnet-relay Guest Telnet Service
User Guide", July 1991.

University of Sussex Library, "OPACS in the UK: a list of interactive
catalogues on JANET compiled for the JANET User Group for Libraries",
March 14th, 1991. Available for anonymous FTP on FTP.UNT.EDU.

University of Texas at Austin General Libraries, "UTCAT User's Guide", February 1991.