

Source Code Highlight Filter

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME
8.6.2	3 October 2010		

Contents

1	HTML Outputs	1
2	DocBook Outputs	1
3	Examples	1
3.1	Source code paragraphs	1
3.2	Unnumbered source code listing	1
3.3	Numbered source code listing with callouts	2
4	Installation	3
4.1	HTML	3
4.2	DocBook	4
4.3	Testing	4

The AsciiDoc distribution includes a source code syntax highlight filter (`source-highlight-filter.conf`).

1 HTML Outputs

The highlighter uses **GNU source-highlight** to highlight *html4* and *xhtml11* outputs. You also have the option of using the **Pygments** syntax highlighter for *xhtml11* outputs.

To use Pygments you need to define an AsciiDoc attribute named *pygments* (either from the command-line or in the global `asciidoc.conf` configuration file) and you will also need to have Pygments installed and the *pygmentize* command in your PATH. You can customize Pygments CSS styles by editing `./stylesheets/pygments.css`. To make Pygments your default highlighter put the following line your `~/ .asciidoc/asciidoc.conf` file:

```
pygments=
```

2 DocBook Outputs

DocBook outputs are highlighted by toolchains that have `programlisting` element highlight support, for example *dblatex*.

3 Examples

3.1 Source code paragraphs

The `source` paragraph style will highlight a paragraph of source code. These three code paragraphs:

```
[source,python]
if n < 0: print 'Hello World!'

:language: python

[source]
if n < 0: print 'Hello World!'

[source,ruby,numbered]
[true, false].cycle([0, 1, 2, 3, 4]) do |a, b|
  puts "#{a.inspect} => #{b.inspect}"
```

Render this highlighted source code:

```
if n < 0: print 'Hello World!'
```

```
if n < 0: print 'Hello World!'
```

```
1 [true, false].cycle([0, 1, 2, 3, 4]) do |a, b|
2   puts "#{a.inspect} => #{b.inspect}"
```

3.2 Unnumbered source code listing

This source-highlight filtered block:

```
[source,python]
-----
''' A multi-line
    comment.'''
def sub_word(mo):
    ''' Single line comment.'''
    word = mo.group('word')    # Inline comment
    if word in keywords[language]:
        return quote + word + quote
    else:
        return word
-----
```

Renders this highlighted source code:

```
''' A multi-line
    comment.'''
def sub_word(mo):
    ''' Single line comment.'''
    word = mo.group('word')    # Inline comment
    if word in keywords[language]:
        return quote + word + quote
    else:
        return word
```

3.3 Numbered source code listing with callouts

This source-highlight filtered block:

```
[source,ruby,numbered]
-----
#
# Useful Ruby base class extensions.
#

class Array

    # Execute a block passing it corresponding items in
    # +self+ and +other_array+.
    # If self has less items than other_array it is repeated.

    def cycle(other_array) # :yields: item, other_item
        other_array.each_with_index do |item, index|
            yield(self[index % self.length], item)
        end
    end

end

if $0 == __FILE__                                     <1>
    # Array#cycle test
    # true => 0
    # false => 1
    # true => 2
    # false => 3
    # true => 4
    puts 'Array#cycle test'                             <2>
    [true, false].cycle([0, 1, 2, 3, 4]) do |a, b|
        puts "#{a.inspect} => #{b.inspect}"
    end
end
```

```
end
```

```
<1> First callout.  
<2> Second callout.
```

Renders this highlighted source code:

```
1  #  
2  # Useful Ruby base class extensions.  
3  #  
4  
5  class Array  
6  
7      # Execute a block passing it corresponding items in  
8      # +self+ and +other_array+.  
9      # If self has less items than other_array it is repeated.  
10  
11     def cycle(other_array) # :yields: item, other_item  
12         other_array.each_with_index do |item, index|  
13             yield(self[index % self.length], item)  
14         end  
15     end  
16  
17 end  
18  
19 if $0 == __FILE__ ❶  
20     # Array#cycle test  
21     # true => 0  
22     # false => 1  
23     # true => 2  
24     # false => 3  
25     # true => 4  
26     puts 'Array#cycle test' ❷  
27     [true, false].cycle([0, 1, 2, 3, 4]) do |a, b|  
28         puts "#{a.inspect} => #{b.inspect}"  
29     end  
30 end
```

- ❶ First callout.
- ❷ Second callout.

Tip

- If the source *language* attribute has been set (using an *AttributeEntry* or from the command-line) you don't have to specify it in each source code block.
 - You may need to place callout markers inside source code comments to ensure they are not misinterpreted and mangled by the highlighter.
-

4 Installation

4.1 HTML

If you want to syntax highlight AsciiDoc HTML outputs (html4 and xhtml11 backends) you need to install [GNU source-highlight](#) or [Pygments](#) (most distributions have these packages).

4.2 DocBook

AsciiDoc encloses the source code in a DocBook *programlisting* element and leaves source code highlighting to the DocBook toolchain (d_latex has a particularly nice programlisting highlighter). The DocBook programlisting element is assigned two attributes:

1. The *language* attribute is set to the AsciiDoc *language* attribute.
2. The *linenumbers* attribute is set to the AsciiDoc *src_numbered* attribute (*numbered* or *unnumbered*).

4.3 Testing

Test the filter by converting the test file to HTML with AsciiDoc:

```
$ asciidoc -v ./filters/source/source-highlight-filter-test.txt
$ firefox ./filters/source/source-highlight-filter-test.html &
```