

# globus gram job manager setup fork

## 4.2

Generated by Doxygen 1.6.2-20100208

Tue Jul 20 12:36:09 2010

# Contents

<b>1 Fork Job Manager</b>	<b>1</b>
1.1 Options to setup-globus-gram-job-manager-fork . . . . .	1
1.2 Fork Scheduler-Specific RSL Attributes . . . . .	1
1.3 Change Log . . . . .	1
1.3.1 globus_gram_job_manager_setup_fork 2.6 [Globus Toolkit 4.0.1] . . . . .	1
1.3.2 globus_gram_job_manager_setup_fork 2.5 [Globus Toolkit 4.0.0] . . . . .	2
1.3.3 globus_gram_job_manager_setup_fork 2.4 . . . . .	2
1.3.4 globus_gram_job_manager_setup_fork 2.3 [Globus Toolkit 3.9.5] . . . . .	2
1.3.5 globus_gram_job_manager_setup_fork 2.2 [Globus Toolkit 3.9.4] . . . . .	2
1.3.6 globus_gram_job_manager_setup_fork 2.1 . . . . .	2
1.3.7 globus_gram_job_manager_setup_fork 2.0 [Globus Toolkit 3.9.2, 3.9.3] . . . . .	2
1.3.8 globus_gram_job_manager_setup_fork 1.3 [Globus Toolkit 3.2.0, 3.2.1] . . . . .	2
1.3.9 globus_gram_job_manager_setup_fork 1.2 . . . . .	2
1.3.10 globus_gram_job_manager_setup_fork 1.1 [Globus Toolkit update package to 2.2.4, 2.4.0, 2.4.1, 2.4.2, 2.4.3, 3.0.0] . . . . .	2
1.3.11 globus_gram_job_manager_setup_fork 1.0 [Globus Toolkit 2.2.2, 2.2.3, 2.2.4] . . . . .	2

## 1 Fork Job Manager

This package contains the "fork" interface to the GRAM Job Manager. It is a setup package; the script setup-globus-job-manager-fork must be run to register a fork job manager with the Gatekeeper as a service.

### 1.1 Options to setup-globus-gram-job-manager-fork

#### **-service-name=NAME**

Set the job manager service name to be NAME. The default service name for a Fork job manager is "jobmanager-fork". See globus\_gram\_resource\_manager\_contact for information on how the service name is used by GRAM.

### 1.2 Fork Scheduler-Specific RSL Attributes

The fork job manager does not support any scheduler-specific RSL attributes.

### 1.3 Change Log

#### **1.3.1 globus\_gram\_job\_manager\_setup\_fork 2.6 [Globus Toolkit 4.0.1]**

Add rudimentary support mpi jobs using mpiexec.

### **1.3.2 globus\_gram\_job\_manager\_setup\_fork 2.5 [Globus Toolkit 4.0.0]**

Fix for jobtype=mpi with wsggram

### **1.3.3 globus\_gram\_job\_manager\_setup\_fork 2.4**

Fix for error when an argument is 0

### **1.3.4 globus\_gram\_job\_manager\_setup\_fork 2.3 [Globus Toolkit 3.9.5]**

Fix for bug #2732 (relative path to executable)

### **1.3.5 globus\_gram\_job\_manager\_setup\_fork 2.2 [Globus Toolkit 3.9.4]**

Fix hang (waiting for fork starter to terminate in submit)

### **1.3.6 globus\_gram\_job\_manager\_setup\_fork 2.1**

Fix for bug #2265 (Fork script can return bad error message)

### **1.3.7 globus\_gram\_job\_manager\_setup\_fork 2.0 [Globus Toolkit 3.9.2, 3.9.3]**

Added support for fork starter for java ws GRAM implementation

### **1.3.8 globus\_gram\_job\_manager\_setup\_fork 1.3 [Globus Toolkit 3.2.0, 3.2.1]**

Fix for bug #1631 Fix for bug #1633

### **1.3.9 globus\_gram\_job\_manager\_setup\_fork 1.2**

#757 - jobmanager inifintely tries to create scratch directory #828 - Lots of warnings from perl in various JobManager pm files #931 - Improved job managers also merging fixes from 2.4.1 #870 - condor.pm misssing IO::File #887 - globus\_gram\_job\_manager-3.9 and JobManager.pm Omission #932 - LSF jobmanager in toolkit 2.2.5 does not set LSF environment #948 - Jobmanager-condor not able to run jobs

### **1.3.10 globus\_gram\_job\_manager\_setup\_fork 1.1 [Globus Toolkit update package to 2.2.4, 2.4.0, 2.4.1, 2.4.2, 2.4.3, 3.0.0]**

Fix or bug #857 (re-execution of job after jm restart) Fix related to #849 (set close on exec on some FDs) Merge of perl changes related to bug #802 Eliminate perl warnings

### **1.3.11 globus\_gram\_job\_manager\_setup\_fork 1.0 [Globus Toolkit 2.2.2, 2.2.3, 2.2.4]**

Split from the core of the Job Manager as a setup package.

The test for mpirun is done at the time this package is set up. If mpirun is not found at that time, the job manager will return the error GLOBUS\_GRAM\_PROTOCOL\_ERROR\_JOBTYPE\_NOT\_SUPPORTED instead of GLOBUS\_GRAM\_PROTOCOL\_ERROR\_MPIRUN\_NOT\_FOUND.

The fork job manager ignores some RSL attributes (host\_count, max\_cpu\_time, max\_memory, max\_time, max\_wall\_time, min\_memory, project, queue). Previous versions of the fork job manager would catch errors in improper values for these attributes (such as a negative max memory). In this version, errors in those attributes are ignored.